



Asset Tracking System
User Manual
Version 4.4

Copyright © 2005-2010 GigaTrakSM
All Rights Reserved



1250 Touhy Avenue
Elk Grove Village, IL 60007
877-204-9237



Asset Tracking System

Table of Contents

Welcome!	1
ATS Features	1
Starter Edition	1
Basic Edition	1
Professional Edition	1
School Edition	1
ATS Hardware Installation	2
Zebra Printer Driver Configuration	3
Zebra TLP2824 Plus Printer Driver Configuration	5
Windows CE/Mobile Handheld Installation	8
Quick Start Overview	9
Logging in to ATS	11
Registration	11
Setup Options	11
Printer Assignment	12
Employee Administration	13
Import Employees	16
Account Administration	17
Asset Support Administration	18
Classification Administration	18
Type Administration	19
User Defined Fields	21
Maintenance Administration	21
Condition Administration	23
Facility Administration	24
Funding Source Administration	25
Location Administration	26
Maintenance / Repair Provider	28
Asset Management	30
Finding Assets	30
Asset Information	33
Asset History	37
Asset Maintenance	38
Import Assets	39
Check In/Check Out Assets	41
Check Out Process	41
Check In Process – By Asset Barcode	42
Check In Process – By Person / Location	43
Relocate Assets	44
Reserving Assets	45
Find Reservations	45
Reservation Admin	47
Download Handheld	48
Change Password	51
Backup / Compact Database	52
Handheld Configuration	52
Label Designer	53

Label Quick Start	54
Label Setup	56
Log In Temporarily	57
Print Screen	58
Reports	58
School Edition Info	59
Import Member File	61
Support	63
Software License Agreement	64
Limitations on Warranty and Liability	64
Appendix A Honeywell 6100 Handheld Information	66
Appendix B LXE Handheld Information	69
Appendix C Memor Handheld Information	72

Welcome!

Thank you for purchasing ATS! It is quickly becoming one of the most popular asset tracking systems because of its ease-of-use and dependability. This User's Manual is designed to help you get going quickly and be ready to use ATS as soon as possible. It covers our standalone Access version along with our network Microsoft Access™ and Microsoft SQL Server™ versions. Access installations are quick and easy for anyone with a reasonable understanding of Windows operating systems. SQL Server is licensed separately and is best installed by someone knowledgeable in working with SQL Server administrative functions.

ATS Features

Four versions are now available.

Starter Edition

- Asset functions (Find, Information, History)
 - Includes binned items, warranty, depreciation, attached images and documents
- Check In/Out assets to employees or locations
- Reports
 - Includes ability to create PDF file and e-mail any report
- Import from TAB delimited TXT file for Assets and Employees
- Export to CSV file for Assets and Employees
- Barcode scanning with corded scanner attached to PC

Basic Edition

Adds to Starter Edition:

- Label design and printing
- Asset Reservations
- Mobile handheld scanning with Pocket PC terminals (batch and wireless available)
 - Functions include identify asset, check out/in, bin count, and audit
- Audit reports

Professional Edition

Adds to Basic Edition:

- User defined fields based on Class and Type of Asset (unlimited)
- Asset Maintenance functions
- Shows overdue assets on check out screen
- Maintenance reports

School Edition

Adds to Professional Edition:

- Members (can be renamed by user)
- 3 user defined Member categories (e.g. Student, Faculty, Staff)
- 4 user defined Member information fields
- Check In/Out assets to Members
- Import Members from TAB delimited TXT file
- Export Members to CSV file

ATS Hardware Installation

Several hardware options are available from GigaTrak that can work with ATS. Even though the more basic units shown offer the same functionality as advanced systems, there are several reasons you should discuss your needs with us before proceeding. Enhanced speed, performance and durability is available for both the handhelds and printers shown.



Handheld PDAs (Optional)

The Windows Mobile/CE handheld also functions as the data collection device for the check-out of items. These devices connect to the USB port of your computer and uses Microsoft Active Sync to communicate (not included). Mobile licensing is provided with each unit purchased from GigaTrak.

Zebra Label Printer (Optional)

The Zebra printer uses a standard USB, Serial, or Parallel printer cable. Connect the printer to your PC and power the printer. You must then install the printer driver as though it is a standard Windows printer. A print driver CD is included and should assist you with installation. Updated drivers may also be downloaded from the manufacturer's WEB site.



NOTE: The "Printing Preferences" for the Zebra print driver has several configuration options that must be set. Most importantly, you MUST setup the default "Print Size" to match the label size being used. Also, ensure the setting for "Media Type" is set to Thermal Transfer if you are using a ribbon. Your label design format in ATS should then match the size of label used. See the Printer Driver Configuration section that follows.

Other printers are available at additional cost.



PC Corded Barcode Scanner (Optional)

A corded barcode scanner can be used to scan check-out and check-in data directly into ATS. Two connection options are available. The first connects the scanner via your USB port and should auto-configure. The second connects to your PC's keyboard and requires no PC drivers.

For special needs and support, contact GigaTrak within the warranty period or as a part of your Extended Support Agreement.

There are other hardware options that may be suited for your application. This includes RFID systems with specialty tags and readers.


Zebra Printer Driver Configuration

Each Zebra printer provided with many of our software systems offers excellent performance at a reasonable price. For documentation, Zebra includes both quick installation and a full user's manual on the CD provided with the printer. The challenge is that print driver setup information is more difficult to find and first-time users need to understand the unique issues to configure the driver properly.

Configuring the Zebra Print Driver


Zebra's print driver is standard across most of their desktop and tabletop products. Familiarize yourself with the driver by opening the Printers and Faxes option on the Start-Settings menu and highlighting the Zebra Print Driver.

By right-clicking the driver, you can then select Properties and the dialog box will appear as shown. To proceed, select the Printing Preferences option button shown on the General tab of the box.



Make sure to change the Paper Size setting to match that of the label inserted into the Zebra Printer.

NOTE: If the label size you have is NOT listed, you must manually create a USER DEFINED label that matches the exact size being used in the printer!!!



Also, set the Media Type option to either Direct (direct thermal labels with no ribbon) or Thermal Transfer (standard labels that require a ribbon). LP desktop printers are Direct ONLY. TLP printers can do either mode.

Be careful! We recommend that you do not change any other settings! Read the Zebra manual for any questions. Click the "Apply" button to save your setting changes and exit.


For other printer brands and models, GigaTrak will provide supplementary information with the systems provided.

Zebra TLP2824 Plus Printer Driver Configuration

Zebra's Plus Series print driver is new in 2010 and different than prior drivers. Familiarize yourself with the driver by opening the *Printers and Faxes* option on the *Start-Settings* menu and highlighting the "ZDesigner TLP 2824 Plus" print driver.

Options Tab

By right-clicking the driver, you can then select the *Printing Preferences...* option. The first tab shown is the "Options" tab.



Settings

The settings section should be set with the default "No. Of Copies" = 1.

Speed and Darkness should be adjusted to improve the print quality of the barcode. A slower speed typically improves the overall quality.

Darkness should be adjusted up or down to ensure the print quality is the highest. Too low of setting may produced a faded looking barcode while too high will overheat and cause the barcode lines to bleed over into one another.

A good quality barcode should look like the one shown.



Paper Format

Generally, use the default settings of “inch” and “portrait”.

Size


It is crucial to set the Size to exactly match the size of label inserted into the printer. The example shown uses the default GigaTrak label size of 2” x 1” as shown in the example above. Remember to change the label size any time you change the roll of labels to a new size of label.

Unprintable Area

Leave the default settings as they are. All should be set to 0.00 unless a specially formatted label is used.

Advanced Setup Tab

By selecting the Advanced Setup tab, several other settings are available.



Media Settings

This option is dependent on the type of label being used. Select the “Direct Thermal” option if the label is specially coated and prints directly without the used of a ribbon. Use “Thermal Transfer” with all labels

that require a ribbon when printing. Most label types include rolls with labels separated by a “gap”. Labels with gaps are usually perforated in between each label for easy tear-off. Some rolls of labels are continuous or have a black mark on the back side of the label liner indicating the start of each label. Make sure to set the “Media Type” accordingly. NOTE: LP desktop printers are Direct ONLY. TLP printers can do either mode.

Device Options

Unless your printer and labels have the need for special settings, leave this alone. Refer to the Zebra Users Guide for further information.

Position Adjustment

Unless you are having printing alignment issues, leave these settings alone. Refer to the Zebra Users Guide for further information.

Cutter

Selected models of this Zebra printer are available with an installed cutter. GigaTrak does not use a cutter as a standard printer option. “Never” is typically the appropriate setting.

Calibrate

The “Calibrate” function is critical when first setting up a printer with a new type of barcode label. Calibrate adjusts the sensor for the gaps between labels to properly sense when the next label is aligned. Should you get more than one label for each print request, it is best to first run calibrate before proceeding further. If you change label types, we recommend that you re-calibrate each time.

Conclusion

Be careful! The printer driver clearly offers many more settings and features. We recommend that you do not change any other settings! Read the Zebra manual for any questions. Click the “Apply” button to save your setting changes and exit.

Quick Start Overview

Now that you have installed ATS, you are probably wondering what to do next. This brief Quick Start card and the User's Manual (located on the CD) provide the general information you need to begin entering data into the system and using ATS for the first time! Take a good look through the system and manuals before proceeding too far!

1. Asset Types, Classes, User Defined Fields, and Maintenance

This function allows you to create classifications and types within each classification. Classifications (i.e. Office Equipment) and (sub-) Types (i.e. Desks, Chairs, etc.) are used to categorize assets. On the menu bar select Support → Asset Support Administration. You can rename the Class and Types designators in the Setup Options function if desired. You can also add User Defined fields to a specific Type of asset. See Asset Support Administration in the User Manual for more information.

2. Conditions

Add any number of Conditions that you desire (Excellent, Good, Poor, etc.) This is a searchable field and can be invaluable to locate equipment needing replacement, etc.

3. Funding Source and Accounts

The Funding Source is a standalone field that can be setup by you to use as needed. You can also rename the Funding Source in the Setup Options function if desired. The Accounts screen allows you to tie each Asset to an account number for added filtering.

4. Facilities

This function allows you to enter facilities, which are used to organize asset locations. On the menu bar select Support→ Facility Administration. See Facility Administration in the User Manual for a detailed explanation.

5. Locations

This function allows the user to create locations where assets are stored or to which assets are checked out. Locations can also be classified as "Storage" locations. Storage locations are typically where materials are centrally located until checkout. On the menu bar select Support→ Location Administration. See Location Administration in the User Manual for a detailed explanation.

6. Employees

This function has you enter employees. An employee may be an individual that will be using the ATS system or a person to which assets may be checked out. You can set ATS Access Rights for each employee here also. On the menu bar select File→ Employee Administration. See Employee Administration in the User Manual for a detailed explanation.

7. Members (School Edition Only)

This function has you create Members other than employees. A member is an individual to which assets may be checked out. You can set Member Categories in the Setup Options screen, then add new members under the Members button.

8. Printer Assignment

This function allows the user to specify which windows printer will be used for report printing and which one will be used for label printing. This function must be set on each workstation before printing. On the menu bar select File → Printer Assignment. See Printer Assignment in the User Manual for a detailed explanation.

9. Label Design

The system allows the user to design labels for assets, locations, and employees. These labels typically have barcodes and can be used to audit, check in, and check out assets. Several sample label designs are included and can be modified. You must select a DEFAULT label format in the Label Setup function before printing is allowed. On the menu bar select Labels → Label Designer. See Label Designer and Label Setup in the User Manual for a detailed explanation.

10. Assets

The asset administration screen allows for the creation and maintenance of assets which are tracked by this system. On the main button bar select the Asset button. See Asset Management in the User Manual for a detailed explanation.

Once you have setup your initial data, you are ready to start using ATS! Check out assets to employees or locations and create reservations. You can also check assets back “in” to storage. Be diligent on how you use the system and it will provide years of reliable tracking of all of your assets!

Backup your database daily!

Logging in to ATS

When the program starts, the Log In screen is displayed. The User Name and Password text boxes are blank.


If this is the first entry into the program, there is only one user, Admin User. You will have to first log in using the Admin User's data: the user Name is ADMIN plus your administrative password. Once you are into the system, you may add other users. After users are entered into the system, each user should log in with their own User Name and Password.



Registration

Access to the Registration screen is only available when the ADMIN login is used. After logging in, select Registration Form on the File menu.

The registration process is used to assign licensing rights to the user. When the program is purchased, GigaTrak will provide a four (4) digit identifier and a 16 digit registration key. Calling up the registration form from the file menu on the main screen and entering this information will unlock the program for licensed use.



Setup Options

Access to the Setup Options screen is only available when the ADMIN login is used. After logging in, select Setup Options on the File menu.

The Setup Options screen is used to change the name of eight parameters in the system and establish a default location for asset pictures. Options vary by version of ATS.


Classification, Type, Facility, Location, Funding Source, Model Number, Serial Number and Condition are parameters tied to assets. These may be of use as tools to organize assets into groups.

To change these values, type in the value desired, then select the OK button.

The Service Reminder Interval is used to calculate when asset maintenance is due (default is 30 days). This is not available in the Starter or Basic edition.

The root image folder is the default location for images that you wish to tie to an asset. If the image is in the default location, only the file name is required in the asset screen to identify the image.

The custom report folder is the location for custom report files. There are many standard reports built into ATS. However, you may need a report that is not in the system. If a custom report is ordered, the report file should be placed in a folder, and the path to the folder should be set in this option.



ATS User Manual

The report logo allows the display of a company logo on all reports. You can select any .bmp, .gif, or .jpg file. When a logo is selected, it will appear in the box at the left side of the screen. To clear a logo after it is selected, click the "Select" button and click Cancel on the selection screen.

If Show Depreciation is checked, then the depreciation information will be visible on the Asset information screen. If the checkbox is not checked, the depreciation information will not be visible.

If Allow Delete Asset & Purge History is checked, then the Delete button will be displayed on the Asset screen, and the Purge History button will be displayed on the Asset History screen. If the checkbox is not checked, the Delete button and the Purge buttons will not be displayed.

If Relocate Assets is checked, the Check In/Out function will change to a relocate function. This option does not use storage locations and does not allow entry or tracking of binned items. Assets are relocated from one location (or person) to another location (or person) without being returned to a storage location.

The Auto-populate Asset and Member Find Tab has the listings filled in automatically when the asset or member screen is opened. If not checked, you must "Extract" data first to view a listing.

The Display Employee Barcodes before names setting will display the employee barcode and then employee name in dropdown lists when checked. If unchecked, the name will appear before the barcode.

The Display Account Numbers before descriptions will display the account number and then the account description in dropdown lists. If unchecked, the description will appear before the account number.

The Auto-create "Repair" maintenance type will insert a repair maintenance item anytime a new Classification and Type of equipment is created. This is not available in the Starter or Basic edition.

The Show Maintenance Due Report after Log In automatically displays the report of any upcoming maintenance items immediately following log in. This is not available in the Starter or Basic edition.

To leave the process without changing any values, select the in the upper right corner of the screen.


Printer Assignment

The printer assignment process is used to set the printer the system will use for printing reports and barcode labels. Select Printer Assignment from the File menu and the screen below will be displayed.

The Available Printers list will display all the printers that are on the Windows printer list.

To select the report printer, select the printer of choice and then select the Assign Default Printer button. The Default Printer label will indicate the printer you selected. Any reports printed by the system will be directed to this printer. This does not affect the windows default printer selection.


To select the label printer, select the printer of choice and then select the Assign Label Printer button. The Label Printer label will indicate the printer you selected. Any labels printed by the system will be directed to this printer.



To leave the process, select the in the upper right corner of the screen.

Employee Administration


Employees are people that will need to log in to the ATS system, or people to whom assets are or will be assigned. To manage employees, select Employee Administration under the File menu.



Initially the only employee will be Admin User. As you can see you may Add, Edit, or Delete employee information.

After other employees are added, they will appear on the list.

To Add a new employee, select the Add button. The form will change as indicated. The items in bold text are required for all employees.



If the employee will be using the ATS system, he will require a Log in Name and Password.

ATS User Manual

Enter the appropriate employee information. A few fields have special requirements:

- The barcode entry must be unique. A barcode for an asset, location, or employee may not be the same. To keep the barcode as small as possible only use a combination of capital letters and numbers. If you use the supplied barcode labels, the employee's barcode must match the label placed on their badge.
- The Log in Name must be at least 5 and no greater than 10 characters long. It must be unique. No two employees may have the same log in name. Log in Names are not case sensitive.
- A password must be at least 5 and no greater than 10 characters long. Passwords are not case sensitive.

Once the employee information is entered, if the employee will require access to ATS, their access level should be set. To set the employee's access level, select the Access button. The form will change as indicated.



The screenshot shows a dialog box titled "Employee Administration" with a blue header and a close button in the top right corner. Below the title bar are "OK" and "Cancel" buttons. The main area contains six sections, each with a blue header and three radio buttons: "No" (selected), "View", and "Edit".

Section	No	View	Edit
Asset Administration	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Asset Reservation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Asset Check In / Check Out	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Asset Support Administration	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Employee Administration	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Member Administration	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

There are 6 separate access levels that may be set for each employee. The default access level is for no access to ATS:


- Asset Administration applies to activities associated with creating and editing asset data.
- Asset Reservation applies to the activities where an individual may reserve an asset for a period of time.
- Asset Check In/Check Out applies to activities associated with assigning assets to an individual or location, or returning assets to storage.
- Asset Support Administration applies to activities that support the overall asset process. This will include managing facilities, locations, asset types, classifications, and conditions.
- Employee Administration applies to activities associated with managing employee information.
- Member Administration applies to activities associated with managing member information (School Edition only).

Select the access level appropriate for the employee in question and then select the OK button. Selecting the Cancel button will return the access levels to those that existed prior to opening this portion of the form. In either case, the form will return to the add employee screen.

To save the employee information, including the access level changes, select the Save button. Selecting the Cancel button will leave the present process without saving the employee information.

ATS User Manual

To edit an employee's information, select the employee from the list and then select the Edit button.



The form will change and display the employee's information similar to the add process.

Change the information or access levels as required and then select the Save button to save the changes, or the Cancel button to leave the Edit process without saving. Either process will return to the display above.

The system will not allow editing of the last name, first name, middle initial, or user name for Admin User.

To delete an employee, select the employee and then select the delete button.

If an employee is assigned an asset or has an outstanding reservation or is involved in a history record, the system will not allow the employee to be deleted. To prevent the employee from being selected in the future, Edit the employee and set the status to "Inactive".

The employee information can be exported to a comma delimited CSV file, which can be opened in Microsoft Excel. Just select the Export To CSV File button. The button will only be available to users that have Edit permission to the Employee Administration screen.


A barcode list can also be printed by selecting the Print Barcode List button. This report contains employee barcodes that can be scanned with a corded or handheld scanner. Only active employees will appear on the list. Admin User will not be on the list.

To print Employee labels, select the Employee(s) to be printed and then select the Print Label button. If a label printer has been selected and if a default Employee label has been designated (see Label Design/Label Setup in this manual), the label(s) will be printed.

For label printing, multiple Employees may be selected. To select multiple Employees, do one of the following:


- Drag the mouse over the Employees desired while holding down the left mouse button.
- Select the first Employee by left clicking with the mouse. Select the last Employee in a range by holding down the Shift key and the left clicking on the last Employee. All Employees in between will be selected.
- Hold down the Control (Ctrl) key and select the Employees you wish to print by left clicking on each one with the mouse.

If the employee logged into the system only has view rights to Employees, the Add, Edit, and Delete buttons will not be available. Instead, a View button will be available to allow the user to look at but not change employee information.

To leave the process, select the  in the upper right corner of the screen.

Import Employees

Select Import Employees under the File menu. Access is limited to users that have edit rights to the Employee Administration screen. The form below will be displayed.



The file format is a TAB delimited TXT file. The layout is based on column position, not column headers.

Column position in the file is:

- 1) Name * First and last name are in the same field and can be in any order (e.g., John K Smith or Smith, John K)
 - First Name 80 char. max.
 - Middle Name 1 char. max.
 - Last Name 30 char. max.
- 2) Barcode * 20 characters max.
- 3) Log in Name 10 characters max. (must be at least 5 characters if set).
- 4) Password 10 characters max. (must be at least 5 characters if set).
- 5) Phone 20 characters max.
- 6) Alt. Phone 20 characters max.
- 7) E-mail 80 characters max.
- 8) Notes 255 characters max.
- 9) Asset Administration Access level: blank or 0 for None, 1 for View, 2 for Edit
- 10) Asset Reservation Access level: blank or 0 for None, 1 for View, 2 for Edit
- 11) Asset Check In/Out Access level: blank or 0 for None, 1 for View, 2 for Edit
- 12) Asset Support Administration Access level: blank or 0 for None, 1 for View, 2 for Edit
- 13) Employee Administration Access level: blank or 0 for None, 1 for View, 2 for Edit
- 14) Member Administration Access level: blank or 0 for None, 1 for View, 2 for Edit

The fields marked with an asterisk (*) are required.

Log in Name and Password are only required if the user needs log in access to ATS. Access levels only apply to those with logins.

If a Barcode duplicates an Asset or Location barcode, the record will be rejected. Duplicate Employee Barcode or Log in Name will also cause the record to be rejected.


Use the Find File button to locate the file you wish to import. Then select the Import File button.

To leave the process, select the in the upper right corner of the screen

Account Administration

Account Administration is used to keep track of the account numbers that are used to purchase assets. Account numbers are not required to use ATS.

To begin the process, select Account Administration from the Support menu. The screen shown will be displayed.



The screenshot shows a window titled "Account Administration" with a blue header bar. Below the header, there are three buttons: "Add" (with a green plus icon), "Edit" (with a green pencil icon), and "Delete" (with a red X icon). Below these buttons, there are two text input fields: "Account Number:" and "Description:". To the right of the "Description:" field, there is a "Status" dropdown menu with "Active" and "Inactive" options. Below the input fields, there is a table with three columns: "Account Number", "Description", and "Active?". The table is currently empty.

Activities available for Accounts are:

- Adding a new Account,
- Editing an existing Account, or
- Deleting an existing Account.

To Add a new account, select the Add button. Enter the Account Number (required field) and a description (optional), then select the Save button.


Select the Cancel button to exit the Account addition without saving the new Account.

To Edit an Account, select the Account of interest and then select the Edit button.

Modify the information as desired. Select the Save button to save the Account changes.


Select the Cancel button to exit the Account addition without saving the Account changes.

To delete an Account, select the Account to be deleted and then select the Delete button. The system will check to see if the account is tied to an asset. If so, the system will not allow the Account to be deleted. You may inactivate the Account to prevent it from being assigned to an asset in the future if you desire.

To leave the process, select the  in the upper right corner of the screen.

Asset Support Administration

Asset Support Administration is used to administer Classifications, Types, and Maintenance (Pro/SE). To access this process, select Asset Support Administration under the Support menu. The screen shown will be displayed.



The Asset Support Administration screen has four (4) tabs: Classification, Type, User Defined Fields, and Maintenance. The names for Classification and Type may be changed in the Setup Options screen. NOTE: User Defined fields and Maintenance are in Pro and School Edition versions only.

Classification Administration

The first tab is Classification. Assets may be assigned a Classification to organize them in groups.

Each Classification has a name (Classification) and Description. In addition, a Classification may be designated as Active or Inactive.

- Classification (name) may be up to 20 characters and is required. The Classification (name) must be unique (i.e., no other Classifications may have the same Classification (name)).
- Description may be up to 80 characters long and is not required.
- A Classification set as active may be assigned to an asset.
- A Classification set as inactive will not be available to be assigned to an asset.

Setting a Classification to inactive may be useful to reduce clutter when assigning Classifications to assets, yet it remains in the database for historical purposes. If a Classification does not need to be kept in the database for historical purposes, it should be deleted.

Activities available for Classifications are:

- Adding new Classification,
- Editing an existing Classification, or
- Deleting an existing Classification.

Adding a New Classification

To add a new Classification, select the Add button.

1. Enter the new Classification (name) and Description (optional).
2. Select the Save button to save the new Classification.

Selecting the Cancel button exits the Classification addition without saving the new Classification. If the Classification was saved, the new Classification will appear on the Classification list.

Editing an Existing Classification

To edit an existing Classification, select the Classification to be edited from the listing and then select the Edit button.

1. Modify the Classification (name), Description, or Status (Active vs. Inactive).
2. Select the Save button to save the changed Classification.
3. Select the Cancel button to exit the Classification change without saving the changed Classification.


If the Classification was saved, the changed Classification will appear on the Classification list.

To delete a Classification, select the Classification to be deleted and then select the Delete button. The system will check to see if the Classification is assigned to an asset. If so, the system will not allow the Classification to be deleted. You may inactivate the Classification to prevent it from being assigned to future assets if you desire.

To leave the process, select the in the upper right corner of the screen.

Type Administration

Type is a subclass of Classification. Each Classification can have several Types. In addition to grouping assets under a Type, the Type will also set the default depreciation period for assets assigned to it.



Page 19

- A Type set as inactive will not be available to be assigned to an asset.

Setting a Type to inactive may be useful to reduce clutter when assigning Types to assets, yet it remains in the database for historical purposes. If a Type does not need to be kept in the database for historical purposes, it should be deleted.

Activities available for Types are:

- Adding new Type,
- Editing an existing Type, or
- Deleting an existing Type.

Adding a New Type

To add a new Type, select the Add button.

1. Select the appropriate Classification for the new Type.
2. Enter the new Type (name), Description, and depreciation period.
3. Select the Save button to save the new Type.

Select the Cancel button to exit the Type addition without saving the new Type.

If the Type was saved, the new Type will appear on the Type list.

The School Edition has a Default Due Date For Check Out option. When the selected type of asset is checked out, the due date will automatically be calculated based on the options set for the type.

Type	Description	Dep.	Active?	Due Date
Desktop PC		5	Yes	None
Laptop		3	Yes	None
Miscellaneous	Mice, Keyboards, Power Strips, etc.		Yes	None
Monitor		8	Yes	None
Network Server			Yes	None
Printer		5	Yes	None

Editing an Existing Type

To edit an existing Type, select the Type to be edited and then select the Edit button.

1. Modify the Type (name), Description, Depreciation, or Status (Active vs. Inactive).
2. Select the Save button to save the changed Type.


Select the Cancel button to exit the Type change without saving the changed Type. If the Type was saved, the changed Type will appear on the Type list.

To delete a type, select the Type to be deleted and then select the Delete button. The system will check to see if the Type is assigned to an asset. If so, the system will not allow the Type to be deleted. You may inactivate the type to prevent it from being assigned to future assets if you desire.

To leave the process, select the in the upper right corner of the screen.

User Defined Fields

The third tab is the User Defined Fields. Fields can be added specific to an asset “Type”. When new assets are added to the system, the added fields are displayed in the Asset Information screen for user entry.



After selecting the appropriate Classification and Type for the asset, a listing of the current User Defined Fields is displayed. Each field has a name and may be designated as Active or Inactive.

- The Field Name may be up to 50 characters and is required.
- A Field Name set as active will be assigned to each asset of that Type.
- A Field Name set as inactive will not be available.

Setting a User Defined Field to inactive does NOT remove the data already recorded for any asset of that type. It will not be displayed on the Asset Information screen. Returning the asset to active will restore prior data for each asset of that type.

Maintenance Administration

The fourth tab is Maintenance. Each “Type” of equipment may be assigned a group of specific Maintenance items with a preset interval in months for required performance. In addition, a “Repair” maintenance item may automatically be inserted when a new “Type” is created. This is created in Setup Options.

Each maintenance item has a Description and Special Instructions. In addition, a maintenance item may be designated as Active or Inactive.

- The Maintenance Description may be up to 50 characters and is required. The Description must be unique (i.e., no other Description may be the same).
- Special Instructions may be up to 255 characters long and is not required.
- A Maintenance item set as active may be assigned to an asset of that type.
- A Maintenance item set as inactive will not be available.

Setting a Maintenance item to inactive may be useful to reduce clutter when assigning Maintenance item to assets, yet it remains in the database for historical purposes. If a Maintenance item does not need to be kept in the database for historical purposes, it should be deleted.

Activities available for Maintenance item are:

- Adding new Maintenance item,
- Editing an existing Maintenance item, or
- Deleting an existing Maintenance item.

Maintenance Description	Special Instructions	Interval	Active?
Defrag Hard Drive		6	Yes

Adding a New Maintenance Item

To add a new Maintenance Item, select the Add button.

1. Enter the new Maintenance Description.
2. Enter any Special Instructions.
3. Select the Save button to save the new Maintenance Item.

Select the Cancel button to exit the Maintenance Item addition without saving the new Maintenance Item. If the Maintenance Item was saved, the new Maintenance Item will appear on the Maintenance Item list.

Editing an Existing Maintenance Item

To edit an existing Maintenance Item, select the Maintenance Item to be edited and then select the Edit button.

1. Modify the Maintenance Description, Special Instructions or Status (Active vs. Inactive).
2. Select the Save button to save the changed Maintenance Item.

Select the Cancel button to exit the Maintenance Item change without saving the changed Maintenance Item. If the Maintenance Item was saved, the changed Maintenance Item will appear on the Maintenance Item list.

To delete a Maintenance Item, select the Maintenance Item to be deleted and then select the Delete button. The system will check to see if the Maintenance Item is assigned to an asset. If so, the system will not allow the Maintenance Item to be deleted. You may inactivate the Maintenance Item to prevent it from being assigned to future assets if you desire.

To leave the process, select the in the upper right corner of the screen.

Condition Administration

Assets may be assigned a Condition, which indicates the usefulness of the asset. To access this process, select Asset Condition Administration under the Support menu.

Condition	Description	Active?
Excellent	Near new condition	Yes
Good	Minimal damage typically cosmetic in nature	Yes
Lost		Yes
Needs Repair	Send to Repair	Yes
Needs Replacement	Do not use. Replace.	Yes
Poor	Damage with some functional problems	Yes

Each Condition has a name (Condition) and Description. In addition a Condition may be designated as Active or Inactive.

- Condition (name) may be up to 20 characters and is required. The Condition (name) must be unique (i.e., no other Conditions may have the same Condition (name)).
- Description may be up to 80 characters long and is not required.
- A Condition set as active may be assigned to an asset.
- A Condition set as inactive will not be available to be assigned to an asset.

Setting a Condition to inactive may be useful to reduce clutter when assigning Conditions to assets, yet it remains in the database for historical purposes. If a Condition does not need to be kept in the database for historical purposes, it should be deleted.

Activities available for Conditions are:

- Adding new Condition,
- Editing an existing Condition, or
- Deleting an existing Condition.

Adding a New Condition

To add a new Condition, select the Add button.

1. Enter the new Condition (name) and Description.
2. Select the Save button to save the new Condition.

Select the Cancel button to exit the Condition addition without saving the new Condition. If the Condition was saved, the new Condition will appear on the Condition list.

Editing an Existing Condition

To edit an existing Condition, select the Condition to be edited and then select the Edit button.

1. Modify the Condition (name), Description, or Status (Active vs. Inactive).
2. Select the Save button to save the changed Condition.

Select the Cancel button to exit the Condition change without saving the changed Condition. If the Condition was saved, the changed Condition will appear on the Condition list.

To delete a Condition, select the Condition to be deleted and then select the Delete button. The system will check to see if the Condition is assigned to an asset. If so, the system will not allow the Condition to be deleted. You may inactivate the Condition to prevent it from being assigned to future assets if you desire.

To leave the process, select the in the upper right corner of the screen.

Facility Administration

Facilities are the upper hierarchy of locations. In other words, locations are tied to a facility. Due to this structure, at least one facility is required by the system.

To begin the process, select Facility Administration from the Support menu. The screen shown will appear.

Activities available for Facilities are:

- Adding a new Facility,
- Editing an existing Facility, or
- Deleting an existing Facility.

Adding a New Facility

To Add a new facility, select the Add button.

Facility information consists of:

- Name may be up to 40 characters and is required. The Name must be unique (i.e., no other Facilities may have the same Name).
- Address may be up to 40 characters long and is not required.
- City may be up to 40 characters long and is not required.
- State may be up to 2 characters long and is not required.
- Zip may be up to 10 characters long and is not required.
- Notes may be up to 255 characters long and is not required.
- A Facility set as active is available for assignment of locations.
- A Facility set as inactive will not be available for assignment of locations.


Enter the information as desired. Select the Save button to save the new Facility.

Select the Cancel button to exit the Facility addition without saving the new Facility.

In either case the main screen, shown at the beginning of this section will appear. If the Facility was saved, the new Facility will appear on the Facility list.

Edit an Existing Facility

To Edit a Facility, select the Facility of interest and then select the Edit button.



The information on this screen was defined in the Add section above.

Modify the information as desired. Select the Save button to save the Facility changes. Select the Cancel button to exit the Facility addition without saving the Facility changes. In either case the main screen, shown at the beginning of this section will appear. If the Facility was saved, the changed Facility will appear on the Facility list.

To delete a Facility, select the Facility to be deleted and then select the Delete button. The system will check to see if a location is tied to the Facility. If so, the system will not allow the Facility to be deleted. You may inactivate the Facility to prevent a location from being assigned to it in the future if you desire.

To leave the process, select the in the upper right corner of the screen.

Funding Source Administration

Funding Source Administration is used to keep track of the agency that provided the asset. The Funding Source is not required to use ATS. Note that the name "Funding Source" can be changed on the Setup Options screen.

To begin the process, select Funding Source Administration from the Support menu. The screen shown will appear.

Activities available for Funding Source are:

- Adding a new Funding Source,
- Editing an existing Funding Source, or
- Deleting an existing Funding Source.

Adding a New Funding Source

To Add a new Funding Source, select the Add button. Enter the description, then select the Save button. Select the Cancel button to exit the Funding Source addition without saving the new Funding Source.


Editing an Existing Funding Source

To Edit a Funding Source, select the Funding Source of interest and then select the Edit button.

Modify the information as desired. Select the Save button to save the Funding Source changes. Select the Cancel button to exit the Funding Source addition without saving the changes.

To delete a Funding Source, select the Funding Source to be deleted and then select the Delete button. The system will check to see if the Funding Source is tied to an asset. If so, the system will not allow the Funding Source to be deleted. You may inactivate the Funding Source to prevent it from being assigned to an asset in the future if you desire.


To leave the process, select the in the upper right corner of the screen.



Location Administration

An asset may be assigned to a location or a user. Location Administration is used to manage the locations to which assets may be assigned.

To start the process, select Location Administration from the Support menu. The screen shown will appear. It displays all the locations that exist in the system that are tied to the facility selected.



Activities available for Locations are:

- Adding a new Location,
- Editing an existing Location,
- Deleting an existing Location,
- Printing a Barcode List, or
- Printing a label for a Location.


Adding a New Location

To add a new Location, select the Facility to which it is to be added and then select the Add button. The screen will change as shown.

Location information consists of:

- Facility, which defaults to the facility selected on the main form but may be changed. Location (name) may be up to 50 characters and is required. The Location (name) must be unique for the Facility selected (i.e., no other Location tied to the facility may have the same Location (name)).
- Barcode may be up to 15 characters long and is required. The barcode is used by scanners to speed up check in, check out and inventory processes.
- Storage Location is a check box that is used to identify locations that are for storage rather than usage.
- Responsible Individual is a selection process to assign a User to be responsible for the assets in the location.

This is not required. If the responsible individual is not in the system, you may go directly to the User Administration process by selecting the Add New Employee button.



- Notes may be up to 255 characters long and is not required.
- A Location set as active is available for asset assignment.
- A Location set as inactive will not be available for asset assignment.

Enter the information as desired. Select the Save button to save the new Location. Select the Cancel button to exit the Location addition without saving the new Location. In either case the main screen, shown at the beginning of this section will appear. If the Location was saved, the new Location will appear on the Location list.

Editing an Existing Location

To Edit a Location, select the Facility containing the Location, select the Location of interest and then select the Edit button. The same screen will appear with the selected data. The information on this screen was defined in the Add section above. Modify the information as desired. Select the Save button to save the Location changes.

Select the Cancel button to exit the Location addition without saving the Location changes.

In either case the main screen, shown at the beginning of this section will appear. If the Location was saved, the changed Location will appear on the Location list.

To delete a Location, select the Location to be deleted and then select the Delete button. The system will check to see if an asset is tied to the location or the Location is being used in a history record. If so, the system will not allow the Location to be deleted. You may inactivate the Location to prevent an asset from being assigned to the Location in the future if you desire.

A barcode list can also be printed by selecting the Print Barcode List button. This report contains location barcodes for the selected Facility that can be scanned with a corded or handheld scanner. Only active locations will appear on the list.

To print a Location label, select the location(s) to be printed and then select the Print Label button. If a label printer has been selected and if a default location label has been designated (see Label Design/Label Setup in this manual), the label(s) will be printed.

For label printing, multiple locations may be selected. To select multiple locations, do one of the following:


- Drag the mouse over the locations desired while holding down the left mouse button.
- Select the first location by left clicking with the mouse. Select the last location in a range by holding down the Shift key and the left clicking on the last location. All locations in between will be selected.
- Hold down the Control (Ctrl) key and select the locations you wish to print by left clicking on each one with the mouse.

To leave the process, select the in the upper right corner of the screen.

Maintenance / Repair Provider

A Maintenance / Repair Provider Screen allows you to standardize the name of each provider who services your equipment. You can Add new provider names, edit the name, and delete those providers not already used for prior maintenance. You can also inactivate a company who is no longer on your list of approved maintenance providers.

To start the process, select Maintenance/Repair Provider Administration from the Support menu. The screen shown will appear



Adding a New Maintenance/Repair Provider

To add a new Maintenance/Repair Provider select the Add button. The screen shown will appear.

The screenshot shows the same window as above, but now it displays a form for adding a new provider. At the top, there are "Save" and "Cancel" buttons. The form fields are: "Name:" (text input), "Address:" (text input), "City:" (text input), "State:" (dropdown menu), "Zip:" (text input), "Contact:" (text input), and "Notes:" (text area with a scroll bar). At the bottom, there is a "Status" section with radio buttons for "Active" and "Inactive".

Provider information consists of:

- Name may be up to 50 characters long and is required.
- Address may be up to 100 characters long and is not required. If an address is entered, it will appear on the Maintenance Request report.
- City may be up to 40 characters long.

- State may be up to 2 characters long.
- Zip may be up to 10 characters long.
- Contact may be up to 100 characters long.
- Notes may be up to 255 characters long.

Enter the information as desired. Select the Save button to save the new Provider. Select the Cancel button to exit the Provider addition without saving the new Provider. In either case the main screen, shown at the beginning of this section will appear. If the Provider was saved, the new Provider will appear on the Provider list.

Editing an Existing Provider

To Edit a Provider, select the Provider of interest and then select the Edit button. The same screen will appear with the selected data. The information on this screen was defined in the Add section above. Modify the information as desired. Select the Save button to save the Provider changes.

Select the Cancel button to exit the Provider addition without saving the Provider changes.

In either case the main screen, shown at the beginning of this section will appear. If the Provider was saved, the changed Provider will appear on the Provider list.

To delete a Provider, select the Provider to be deleted and then select the Delete button. The system will check to see if an asset maintenance record is tied to the Provider. If so, the system will not allow the Provider to be deleted. You may inactivate the Provider to prevent its use in the future if you desire.

To leave the process, select the in the upper right corner of the screen.

Asset Management

The Asset management portion of the process is used to:

- Add assets to the system,
- Print barcodes for the assets,
- View asset history, and
- Limited reporting

The Asset management process is started by selecting the Asset button on the main toolbar, which displays the screen below.

The Asset management form is composed of four tabs:

- Find Asset,
- Asset Information,
- Asset History, and
- Asset Maintenance (not in Starter or Basic editions)

Finding Assets

The screenshot shows the 'Find Asset' tab of the ATS Asset Tracking System - School Edition. The search form includes the following fields and options:

- Facility: All
- Location: All
- Funding Source: All
- Account: All
- Search Field: Barcode
- Search: [Empty text box]
- Classification: Computer Equipment
- Type: All
- User Defined Field: All
- User Data: [Empty text box]
- Condition: All
- Status: Active

Buttons available for the search results include: Extract Data, Print List, Add To List, Print Barcode List, Reset, Print Label, Change Status, and Export List To CSV File.

Barcode	Description	Model Number	Serial Number	Storage Location	Storage Din Qty	Out Bin Qty	Out To	Date Out	Due Date	Funding Source	Acct Num
A011	Dell 19-inch Flat Panel LCD			Shelf 100							
A012	Dell Dimension 5150C, 2.8GHz, 512MB RAM, 80GB HD	GA515042342	GTTC6546456ADRG	Shelf 100			Smith, John	12/17/2010			
A013	Dell Dimension 9150 Desktop PC, 2.5GHz, 1GB, 160GB HD	DD9150FG435	GDH5674546IOYU	Shelf 100							
A014	Dell Latitude 610 Laptop, 1.8GHz, 512MB, 60GB HD, 14.1" LCD	DL610456FG	YTR566573GFHV	Shelf 100			Office 101	12/17/2010			
A015	Dell Latitude 610 Laptop, 1.8GHz, 512MB, 60GB HD, 14.1" LCD	DL610456FG	TY65748456FG	Shelf 100			Johnson, Carol	12/17/2010			
A016	Dell PowerEdge 1850 Server	PE1850-53453A	ER5345354FG	Shelf 200							
A018	Generic USB Mouse			Shelf 200	24	3					

Double-click to view Asset Information. Right-click to view image (if assigned). 7 rows found

The first tab, shown above, is used to view assets, print a list of assets, and print asset labels. The list of Assets on the screen is controlled by the multiple selections on the upper part of the form. These selections are:

- Facility
- Location
- Funding Source
- Account
- Search (by barcode, description, model number, serial number, and in service date)
- Classification
- Type

- User Define Field
- User Data (for the selected User Defined Field)
- Condition
- Status


All of these selections are administered under the support menu of the main form. Each is tied to an asset in the Asset Information tab of this form. Select the parameters of choice and then select the Extract button to change the asset display.

Groups of assets can also be displayed by typing words in the Search Description box, and then selecting the Extract button. For example, type the word chair into the box and click Extract. Only assets that have the word chair in the description will be displayed. If a Location is also selected, only assets that are located at that location and have the word chair in the description will be displayed.




By selecting different filters and clicking the Add To List button, you can create a custom list to fill any need. This button allows you to add additional assets to the asset grid without clearing it first. A row can be removed from the grid by selecting it and pressing the “Delete” key on the keyboard. This does NOT delete any information from the database.

Several key aspects are available on the form. As an example, selecting the Reset button will return all selections to All. In addition, the Asset list can be sorted by one of its columns by clicking on the heading of that column. A second click will reverse the sort order of the items in the listing.

If an image is assigned to an asset, a thumbnail picture will be displayed in the Description column of the grid. The thumbnail display can be turned on or off by right-clicking in the grid and selecting “Show Thumbnail Images” in the popup menu.



The screenshot shows a table with two columns: 'Description' and 'Model Number'. The first row is highlighted in blue and contains a small computer icon, the text 'Dell 19-inch Flat Panel LCD', and an empty 'Model Number' cell. The second row contains a computer icon, the text 'Dell Dimension 5150C RAM, 80GB HD', and the model number '2342'. A right-click context menu is open over the second row, showing two options: 'Show Thumbnail Images' (which is checked) and 'View Image'. The third row contains a computer icon, the text 'Dell Dimension 9150 Desktop PC, 2.5GHz, 1GB, 160GB HD', and the model number 'DD9150FG435'.

Description	Model Number
 Dell 19-inch Flat Panel LCD	
 Dell Dimension 5150C RAM, 80GB HD	2342
 Dell Dimension 9150 Desktop PC, 2.5GHz, 1GB, 160GB HD	DD9150FG435

A larger view of the image can be displayed by selecting “View Image” from the popup menu.

To find a specific Asset by its barcode:

- Select Barcode in the Search Field box.
- Select the Search text box (background turns yellow).
- Type in the barcode and select the Enter key or scan the barcode with a wedge type barcode scanner attached to the PC. You can also select the Extract Data button to display the asset.
- If the barcode matches that of an Asset, the Asset will appear on the list.

To find assets by the in service date:

- Select In Service Date in the Search Field box.
- The Search text box will automatically default to a date range of the first and last days of the current month. This allows you to quickly find the assets that were added during the current month.
- You can enter a single date to find assets that were entered on a particular day.
- Select the Extract Data button to display the assets.

The status of a group of selected assets can be changed all at once instead of just one asset at a time. Select the rows in the grid of the assets you want to change. Then click the Change Status button. A

pop-up screen will appear where you can select the new status. Click the OK button to proceed. Note that binned items cannot be changed to a status of Lost or Broken.

Note that the Status column in the grid does not display a status of Active. This makes any status that is not Active stand out.

To print the Assets in the list, select the Print List button. A report is displayed and if the default printer is set, the Assets displayed on the screen will be printed when Print is selected. You may also PDF or Email the report directly.

A barcode list can also be printed by selecting the Print Barcode List button. This report contains asset barcodes that can be scanned with a corded or handheld scanner.

Barcode	Barcode	Description	Model Number	Serial Number
A011		Dell 19-inch Flat Panel LCD		
A013		Dell Dimension 9150 Desktop PC, 2.5GHz, 1GB, 160GB HD	DD9150FG435	GDH6674548IOYU
A014		Dell Latitude 610 Laptop, 1.8GHz, 512MB, 80GB HD, 14.1" LCD	DL610456FG	YTR588573GFHV
A015		Dell Latitude 610 Laptop, 1.8GHz, 512MB, 80GB HD, 14.1" LCD	DL610456FG	TY66748456FG
A016		Dell PowerEdge 1850 Server	PE1850-53453A	ER5345354FG
A018		Generic USB Mouse		

To print asset labels:

- Select one or more Assets in the list,
- Select the Print Label button.

For label printing, multiple Assets may be selected. To select multiple Assets, do one of the following:

- Drag the mouse over the Assets desired while holding down the left mouse button.
- Select the first Asset by left clicking with the mouse. Select the last Asset in a range by holding down the Shift key and the left clicking on the last Asset. All Assets in between will be selected.
- Hold down the Control (Ctrl) key and select the Assets you wish to print by left clicking on each one with the mouse.

The asset list can be exported to a comma delimited CSV file. This file can be opened in Microsoft Excel.

Asset Information

Selecting an Asset and then selecting the Asset Information tab, or double-clicking on an Asset, will bring up the Asset Information screen below.

The screenshot shows the 'Asset Information' window in the ATS Asset Tracking System - School Edition. The window title is 'Assets' and it has tabs for 'Find Asset (F1)', 'Asset Information (F2)', 'Asset History (F3)', and 'Asset Maintenance (F4)'. The 'Asset Information (F2)' tab is active. The form contains the following fields and controls:

- Classification:** Computer Equipment (dropdown)
- Type:** Desktop PC (dropdown)
- Description:** Dell Dimension 5150C, 2.8GHz, 512MB RAM, 80GB HD
- Facility:** ACME Central Warehouse (dropdown)
- Location:** Shelf 100 (dropdown)
- Barcode:** A012
- Condition:** Excellent (dropdown)
- Model Number:** GA515042342
- Serial Number:** GTTC6546456ADRG
- Funding Source:** (dropdown)
- Account:** (dropdown)
- In Service Date:** 3/23/2006 (calendar icon)
- Status:** Active (radio button), Retired (radio button), Lost (radio button), Broken (radio button)
- Buttons:** Print Label, Previous, Next, Depreciate, Add, Edit, Delete, Copy, Print Asset Info
- Check Out Section:** Binned Item: ; Check Out button; By: (text field); Location: (text field); Date Due: (text field)
- Image:** A photograph of a desktop computer system.

As a note, the Asset Information screen changes slightly if the Check In/Out option on the System Status screen is set to Relocate Assets.

Asset information with bold text above is required. Many of the fields listed below are included in the sub-tabbed section in the lower portion of the form. The available asset information is:

- Classification is a method of grouping Assets.
- Type is a subset of Classification and a second method of grouping Assets.
- Description is up to 80 characters describing the Asset.
- Facility is the building in which the Asset is located.
- Storage Location is the default storage location for the Asset.
- Funding Source is the agency that provided the Asset. (User Definable Field.)
- Binned Item is used for small items that cannot be individually bar coded. If the Binned Item checkbox is checked, a box will appear to enter a Bin Quantity. There will also be an option to set the item as a Consumable. Consumable assets can be checked out, but are not expected to be checked back in (e.g., gloves). Note that Binned Item is not available when the Relocate option is selected on the Setup Options screen.
- Original Value is the cost basis for depreciating the Asset.
- Current Value is the current depreciated value of the Asset (calculated).
- Date for Current Value is the date used to calculate the current value.
- Depreciation period in years (does not apply to bin items).
- Straight Line Depreciation Type. The system will calculate depreciation based on three methods: Straight Line, MACRS Half-Year straight Line, and MACRS Mid-Quarter Straight Line.
- Barcode is the barcode that identifies the Asset. You must enter the first asset's barcode number manually in a format that all barcodes will use (i.e. A00001). The system will then automatically increment the numerical portion of the barcode number one at a time.

- Condition is the physical condition of the Asset. Condition does not apply to bin items.
- Model is the model number of the Asset.
- Serial Number is the Serial Number of the Asset.
- Image is the path to a file that contains a picture of the asset. If the image information is entered and a file is at the proper location, the picture will be displayed as a thumbnail in the area to the right of the check out section (see above). Double clicking on the thumbnail will display a full sized image of the picture. In addition, linked document, PDF, and other related files can be assigned to the Asset.
- Note is up to 255 characters of information about the Asset.
- Account is the account number used to purchase the Asset.
- Purchased From allows entry of general supplier information.
- Warrant expiration date tracks when a warranty period expires.
- User Defined Fields stores additional information specific to the type of Asset.
- Status. An Active asset may be checked out. A Retired, Lost, or Broken Asset may not be checked out.
- Check Out is whether an Asset is checked Out or not. If it is checked out, the following information will be available:
 - By is the User to whom the Asset was checked out.
 - Location is the Location to which the Asset was checked out.
 - Due Date is the date the Asset is due to be checked in.

Administrative actions for an Asset are:

- Add a new Asset,
- Edit an existing Asset,
- Delete an existing Asset,
- Copy the Asset information to be used in creating a new Asset,
- Print Asset information, or
- Depreciating an Asset.

Adding a New Asset

To Add a new Asset, select the Add button. The screen will be changed as indicated below.

The screenshot displays the 'Assets' application window with the 'Asset Information' tab selected. The form contains the following fields and controls:

- Classification:** A dropdown menu.
- Type:** A dropdown menu.
- Description:** A text input field.
- Facility:** A dropdown menu.
- Location:** A dropdown menu.
- Barcode:** A text input field containing 'A019'.
- Condition:** A dropdown menu.
- Model Number:** A text input field.
- Serial Number:** A text input field.
- Funding Source:** A dropdown menu.
- Account:** A dropdown menu.
- In Service Date:** A date field showing '9/14/2010' with a calendar icon.
- Status:** A group box containing radio buttons for 'Active', 'Retired', 'Lost', and 'Broken'. The 'Active' radio button is selected.
- Print Label:** A button with a barcode icon.
- Save:** A button with a floppy disk icon.
- Cancel:** A button with a red 'X' icon.

At the bottom of the form, there are four tabs: 'Primary Data', 'Purchase / Warranty', 'Images & Docs', and 'User Defined Data'. The 'Primary Data' tab is active, showing a 'Note' text area and a 'Binned Item' checkbox. To the right of the 'Note' area, the text 'Image Unassigned' is displayed in a large font.


All information is cleared and the Save and Cancel buttons appear.

The system will automatically generate a unique barcode for the asset. If this barcode is unacceptable, it can be typed over by the user. Select or enter the required information (bold labels). Enter the non-required information if desired. Save the Asset by selecting the Save button. The screen will return to the original state with the new Asset information.

Cancel the process without saving by selecting the Cancel button. The screen will return to the original state with the information displayed that was present prior to selecting the Add button.

Editing an Existing Asset

To Edit an existing Asset, select the Edit button. The screen will be changed as indicated below.



The Save and Cancel buttons appear.

Change the Asset's information as desired. Information with a bold label is required. Save the Asset by selecting the Save button. The screen will return to the original state with the changed Asset information.

Cancel the process without saving by selecting the Cancel button. The screen will return to the original state with the Asset information unchanged.

Copying an Existing Asset's Information to a New Asset

This is one of the most helpful features when multiples of the same type of asset needs to be entered. To Copy an existing Asset's information to use in creating a new asset, select the Copy button. The majority of data is copied to a new record. The exception is that the barcode number, serial number and checkout information is cleared and the Save and Cancel buttons appear.

The screen will be changed as indicated below.

The screenshot shows the 'Asset Information' form in the ATS system. The form is divided into several sections:

- Classification:** Computer Equipment
- Type:** Desktop PC
- Description:** Dell Dimension 5150C, 2.8GHz, 512MB RAM, 80GB HD
- Facility:** ACME Central Warehouse
- Location:** Shelf 100
- Barcode:** A019
- Condition:** Excellent
- Model Number:** GA515042342
- Serial Number:** (empty)
- Funding Source:** (empty)
- Account:** (empty)
- In Service Date:** 3/23/2006

On the right side of the form, there is a 'Print Label' button, a 'Status' dropdown menu with options: Active (selected), Retired, Lost, and Broken. Below the status menu are 'Save' and 'Cancel' buttons.

At the bottom of the form, there are tabs for 'Primary Data', 'Purchase / Warranty', 'Images & Docs', and 'User Defined Data'. The 'Primary Data' tab is active, showing a 'Note' field, a 'Binned Item' checkbox, and a 'Check Out' section with fields for 'By:', 'Location:', and 'Date Due:'. To the right of the 'Check Out' section is a small image of a desktop computer.

The system will automatically generate a unique barcode for the asset. If this barcode is unacceptable, it can be typed over by the user. Change the Asset's information as desired and add the new barcode. Save the Asset by selecting the Save button, the screen will return to the original state with the new Asset information.

Cancel the process without saving by selecting the Cancel button. The screen will return to the original state with the Asset information unchanged.

To Delete an existing Asset, select the Delete button. After asking if you are sure, the system will delete the asset.

To depreciate an asset, the following information is required:

- In service Date
- Original Value
- Depreciation Period in years, and
- A straight line method selection.

With the above information available, simply select the Depreciate button to determine the current value of the asset.

Asset History

Selecting an Asset and then selecting the Asset History tab will bring up the Asset History screen below.

The screenshot shows the 'Asset History' window with the following details:

- Barcode: A014
- Model Number: DL610456FG
- Date: 6/15/2010
- Description: Dell Latitude 610 Laptop, 1.8GHz, 512MB, 60GB HD, 14.1" LCD
- Serial Number: YTR566573GFHV
- From: 1/1/2006
- To: 9/14/2010
- Buttons: Purge Selected Asset's History, Print List

Date	Type	From	Person	Location	Condition	Bin Qty
8/19/2010 02:49 PM	Checked out	Johnson, Thomas		Office 105	Excellent	
8/19/2010 01:42 PM	Checked out	Shelf 100	Johnson, Thomas		Excellent	
3/23/2006 08:31 AM	Added New Asset			Shelf 100	Excellent	

The screen displays the history of the selected asset for the date range selected. The system defaults the date range to the last 12 months. Change one of the dates and select the Enter key or select a new date with one of the calendar controls and the list will change to reflect the new date range.

To print the history displayed on the screen, select the Print List button.

To remove all history records for the selected asset prior to a specified date, enter the date in the Date text box and then select the Purge button. All history records for the asset prior to the date specified will be deleted. The Purge button is only available if the "Allow Delete Asset & Purge History" checkbox is checked on the Setup Options screen.

To leave the process, select the in the upper right corner of the screen.

Asset Maintenance

Selecting an Asset and then selecting the Asset Maintenance tab will bring up the Maintenance Items/History screen below.

The screenshot shows the 'Asset Maintenance' window in the WIN-ATS software. The window title is 'WIN-ATS - Asset Tracking System (Demonstration Version)'. The main area is divided into several sections:

- Asset Information:** Fields for Barcode (AD12), Model (GA515042342), Description (Dell Dimension 5150C), and Serial Number (GTTC6546456ADRG).
- Form Fields:** Start Date, Repair Type, Repair Provider, Completed Date, Notes, and Repair Cost.
- Buttons:** Add, Print Maint. Due, and Print Maint. Request.
- Maintenance Items Table:** A table with columns: Maintenance / Repair Type, Special Instructions, Interval (Months), Last Done, and Next Due.

Maintenance / Repair Type	Special Instructions	Interval (Months)	Last Done	Next Due
<input type="checkbox"/> Defrag Hard Disk		3	In service 3/23/2009	6/23/2009
<input type="checkbox"/> Vacuum Interior	Remove dust and debris	12	In service 3/23/2009	3/23/2010


The first tab lists the Maintenance/Repair Type(s) setup previously on the Asset Support Administration screen. Special instructions, the interval required and the dates last done and due are shown. If the type is due in the next 30 days it will be shown in blue. Note that the Service Reminder Interval (30 days) can be changed on the Setup Options screen. Past due types are in red. Double-click to select a maintenance action and select the Repair Provider then save. The system will offer to print a Maintenance Request form to send with the item to the provider. An "open" maintenance record is then inserted into History. When the item is returned, select the open record on the Maintenance History tab by double-clicking. Now enter the Completed Date along with Notes and a Repair Cost if appropriate. Once saved, it is now a completed record in history.

To print the history displayed on the screen, select the Maintenance History tab, then select the Print Maintenance History button.

To leave the process, select the in the upper right corner of the screen.

Import Assets

Select Import Assets under the File menu. Access is limited to users that have edit rights to the Asset screen. The form below will be displayed.



The file format is a TAB delimited TXT file. The layout is based on column position, not column headers.

Column position in the file is:

- | | |
|-------------------------------|---|
| 1) Classification * | 20 characters max. |
| 2) Type * | 20 characters max. |
| 3) Barcode * | 20 characters max. |
| 4) Description * | 100 characters max. |
| 5) Storage Facility * | 40 characters max. |
| 6) Storage Location * | 50 characters max. |
| 7) Storage Location Barcode * | 20 characters max. |
| 8) In Service Date * | if blank, defaults to today's date |
| 9) Status * | Active, Retired, Lost or Broken |
| 10) Model | 30 characters max. |
| 11) Serial Number | 50 characters max. |
| 12) Funding Source | 50 characters max. |
| 13) Acct Num | 25 characters max. |
| 14) Bin | Yes or No |
| 15) Bin Qty | quantity in the storage location |
| 16) Consumable | Yes or No (If set to "Yes", then Bin must also be set to "Yes") |
| 17) Checkout Facility | 40 characters max. |
| 18) Checkout Location | 50 characters max. |
| 19) Checkout Location Barcode | 20 characters max. |
| 20) Checkout Person | First Name 80 char., Middle Name 1 char., Last Name 30 char. |
| 21) Checkout Person Barcode | 20 characters max. |
| 22) Date Out | if present, any valid date |
| 23) Due Date | if present, any valid date |
| 24) Notes | 255 characters max. |

The fields marked with an asterisk (*) are required.

ATS User Manual

If Classification or Type is blank, the system will automatically create and set it to “(Unassigned)” upon import.

Barcode and Description must be present, or the record will be rejected.

If Storage Location is blank, the system will automatically create and set it to “(Unassigned)” upon import.

If Storage Location Barcode is blank, a unique barcode will be created (i.e. TEMP00000001).

If In Service Date is blank, it will default to today’s date.

If Status is blank, the system will assume that it is “Active”.

Binned items cannot have a Status of Lost or Broken.

Binned items cannot be checked out using this import. Any values in the checkout fields will be ignored.

Bin Qty represents the quantity in the storage location.

Consumable can only be set with Bin. If Consumable is set to “Yes”, then Bin must also be set to “Yes”.

If present, Checkout Location OR Person is expected, not more than one.

If Checkout Location is present but Checkout Location Barcode is blank, a unique barcode will be created (i.e. TEMP00000002).

If Checkout Person is present but Checkout Person Barcode is blank, a unique barcode will be created (i.e. TEMP00000003).

If Date Out is blank, it will default to today’s date (unless Due Date is set and is in the past, then it is set to Due Date).

Duplicate asset barcodes will be ignored. First one in wins.

If a Barcode duplicates an Employee or Location barcode, the record will be rejected.

Use the Find File button to locate the file you wish to import. Then select the Import File button.

To leave the process, select the in the upper right corner of the screen

Check In/Check Out Assets

Check In/Out is available if the Relocate option is not checked on the Setup Options screen. The Check In process is used to check assets into storage from a user or location. The Check Out process is used to check assets out from a user or location to another user or location. Check Out and Check In can also be performed on the handheld unit. To start these processes, select the Check In/Out button. The screen below will be displayed.

Check Out Process

The Check In/Check Out process is composed of three (3) tabs. The first tab is the Check Out process as shown below.

The screenshot shows a software window titled "Check In/Out" with a blue header bar. Below the header is a toolbar with buttons for "Save", "Save / Print", "Reset / Clear", and "Remove Item". The main area is divided into three tabs: "Check Out (F1)", "Check In by Asset (F2)", and "Check In by Person / Location (F3)". The "Check Out (F1)" tab is active and contains the following fields:

- A dropdown menu with "Location" and "Employee" options.
- A "Barcode:" field with a yellow highlight and a search icon.
- A "Due Date:" field and a "Default Interval: (days)" field.
- An "Asset Barcode:" field and a "Description:" field.
- An "Employee:" field.

Below the fields is a table with the following columns: Barcode, Description, Due, Out, Condition, Person, Location, and Bin Qty. The table is currently empty.

To check out assets:

- Select a Location or Employee to which the asset will be checked out.
- If desired enter the due date for the return of the Asset. Alternately, you can enter the number of days the Asset can be checked out in the Default Interval box. The due date will automatically be calculated.
- Scan the Asset barcode. (School Edition only: after the asset barcode is scanned, the due date will automatically be calculated by asset type, as defined on the Asset Support Administration screen. If the Due Date box on the Check Out tab is blank, the type default will be used. If a due date is entered in the box, it will override the type default.)
- If the Asset is a binned item, a box will appear below the barcode to enter the quantity being checked out.

The asset checkout information will be displayed in the grid. If an image is assigned to the asset, it will appear in the image box. To check out another asset to the same location/employee and with the same due date, scan another asset barcode.

If no scanner is available, you may enter the barcode information into the barcode text boxes and then press the enter key on the keyboard. You may also select the find button next to the textboxes to display a list to choose from.

Items that are entered into the grid by mistake can be removed by selecting the item and clicking the Remove Item button.

When all desired assets have been checked out, select the Save or the Save/Print button. Selecting the Save button will save the check out information and clear the check out list. Selecting the Save/Print button will save the check out information and print the check out report. The system will then clear the check out list.

To cancel the check out process, select the Reset/Clear button. After confirming you wish to reset the check out process, the system will clear the check out list without saving it.

Check In Process – By Asset Barcode

To check in an individual asset select the Check In by Asset tab. The screen will change as indicated below.

Barcode	Description	Due	Return	Condition	Facility	Location	Bin Qty	From Person / Location	Status
A015	Dell Latitude 610 Laptop, 1.8GHz, 612MB, 60GB HD, 14.1" LCD		9/14/2010 9:35 AM	Excellent	ACME Central Warehouse	Shelf 100		Doe, Mary	
A018	Generic USB Mouse		9/14/2010 9:35 AM		ACME Central Warehouse	Shelf 200	1	Doe, Mary	

To check an asset into storage, scan the asset barcode or enter the asset barcode and then press the Enter Key on the keyboard. If the asset is a binned item, a box will appear to enter the quantity being checked in. The check in information will be entered in the list. Condition, Facility, and Storage Location may be changed. Select the column you wish to change, select the Enter key and pick the new Condition, Facility, or Storage Location from the list.

When all assets have been checked in, select the Save or the Save/Print button. Selecting the Save button will save the check in information and clear the check in list. Selecting the Save/Print button will save the check in information and print the check in report. The system will then clear the check in list.

To cancel the check in process, select the Reset/Clear button. After confirming you wish to reset the check in process, the system will clear the check in list without saving it.

To leave the process, select the in the upper right corner of the screen.

Check In can also be performed on the handheld unit.

Check In Process – By Person / Location

To check in assets assigned to either an employee or a location select the Check In by Employee / Location tab. The screen will change as indicated below.

The screenshot shows the 'Check In/Out' application window. The 'Check In' tab is active. Below the tab are buttons for 'Save', 'Save / Print', 'Reset / Clear', and 'Remove Item'. The main area is divided into three sections: 'Check Out (F1)', 'Check In by Asset (F2)', and 'Check In by Person / Location (F3)'. The 'Check In by Person / Location (F3)' section is selected. It contains a 'Barcode' field with 'E002', an 'Employee' dropdown with 'Doe, Mary', and a 'Change Status' dropdown. Below this is a 'Copy Row' button. The main table has the following data:

Chk	Barcode	Description	Due	Return	Condition	Facility	Location	Bin Qty	Status
<input type="checkbox"/>	A002	Black Leather Mid-Back Chair	1/1/2011	9/14/2010 9:45 AM	Excellent	ACME Central Warehouse	Aisle 2		
<input type="checkbox"/>	A006	Full Size Gray Metal Desk		9/14/2010 9:45 AM	Poor	ACME Central Warehouse	Aisle 1		
<input type="checkbox"/>	A007	Five Drawer 42" Lateral File		9/14/2010 9:45 AM	Good	ACME Central Warehouse	Aisle 2		
<input type="checkbox"/>	A009	Left Return Brown Metal Desk		9/14/2010 9:45 AM	Good	ACME Central Warehouse	Aisle 2		
<input type="checkbox"/>	A015	Dell Latitude 610 Laptop, 1.8GHz, 512MB, 60GB HD, 14.1" LCD		9/14/2010 9:45 AM	Excellent	ACME Central Warehouse	Shelf 100		
<input type="checkbox"/>	A018	Generic USB Mouse	1/1/2011	9/14/2010 9:45 AM		ACME Central Warehouse	Shelf 200	1	

To check an asset into storage, first select or scan the employee or location ID the items are being returned from. A listing of all items checked out to the employee/location will be displayed. You can then click the check box for each line item being returned. If all items are being returned, select the Check All check box. This will select all of the line items for check in. The Status of all checked line items can be changed with a single click. Select a new status in the Change Status drop down list. After confirming the change status message, the new status will appear in the Status column of the grid. The status of a single line item can also be changed by double clicking the Status column of the line item. Select a new status from the drop down list that will appear. Binned item quantities can also be changed in the grid if desired. The Copy Row button is used only for binned items. This is useful if more than one item was checked out, but one or more of the items was lost or broken and cannot be checked in. Select the bin item in the grid and select the Copy Row button. An identical row will appear in the grid. Change the Bin Qty and Status as necessary and check the check box in the first column.

When all assets have been checked in, select the Save or the Save/Print button. Selecting the Save button will save the check in information and clear the check in list. Selecting the Save/Print button will save the check in information and print the check in report. The system will then clear the check in list.

To cancel the check in process, select the Reset/Clear button. After confirming you wish to reset the check in process, the system will clear the check in list without saving it.

To leave the process, select the in the upper right corner of the screen.

Check In can also be performed on the handheld unit.

Relocate Assets

Relocate is available if the Relocate option is checked on the Setup Options screen. Note that the Relocate option does not support binned assets. Assets are relocated from one location (or person) to another location (or person) without being returned to a storage location. To start the process, select the Relocate button. The screen below will be displayed.

Barcode	Description	Due	Out	Condition	Person	Location
---------	-------------	-----	-----	-----------	--------	----------

To relocate assets:

- Select a Location or Employee where the asset will be located
- Scan the Asset barcode

The relocate information will be displayed in the grid. To add another asset to the same location/employee, scan another asset barcode.

If no scanner is available, you may enter the barcode information into the barcode text boxes and then press the enter key on the keyboard. You may also select the find button next to the textboxes to display a list to choose from.


Items that are entered into the grid by mistake can be removed by selecting the item and clicking the Remove Item button.

When all desired assets have been entered, select the Save or the Save/Print button. Selecting the Save button will save the relocate information and clear the list. Selecting the Save/Print button will save the relocate information and print the relocate report. The system will then clear the list.

To cancel the relocate process, select the Reset/Clear button. After confirming you wish to reset the relocate process, the system will clear the list without saving it.

Reserving Assets

Reserving Assets is a process used to reserve the use of an asset for a specified period of time. This is not available in the Starter edition. To start this process, select the Reserve button. The screen below will be displayed, showing all reservations that fall within the default date range (one month prior to the current date and five months after the current date).



Find Reservations

The Reserve Assets process is composed of two (2) tabs. The first tab is the Find Reservations process as shown. The find reservation process is used to view the current reservations for an Asset or User.


The Reservation Type determines the type of reservations to display. Choose from All, Location, or Employee. The School edition will also include Member categories.

To view the reservations for a User, scan the User barcode into the User Barcode textbox and the reservations for the User in the date range specified will be listed.

To view the reservations for an Asset, scan the Asset barcode into the Asset Barcode text box and the reservations for the Asset in the date range specified will be listed.

If no scanner is available, you may also enter the barcode in the barcode text boxes followed by pressing the Enter key on the keyboard. Another option is to select one of the find buttons, to display a list from which you may select.


If the Reservation Type is employee, the Find User button will display a form similar to the one at the right. This is a searchable list of users. Enter an employee barcode and select the Extract Data button. If a matching barcode is found, the employee will appear in the list. Alternately, you can enter a Last Name and select the Extract Data button. All employees with the entered last name will appear in the list. Select the user desired and then select the OK button. You may notice that All is available. If you select all, then the reservations for everyone will be displayed.



Select the Cancel button to return to the reservation process without selecting a user.

If the Reservation Type is location, the Find button will display a Select Location form. If the Reservation Type is All, the Find button will be disabled.

The Find Asset button will display a form similar to the one shown. This is a searchable list of assets. Select the asset desired, and then select the OK button. You may notice that All is available. If you select all, then the reservations for all assets will be displayed.



Select the Cancel button to return to the reservation process without selecting an asset.


To change the date range for the reservation list, enter a new date and then select the Enter key or set the date using the calendar control. The list will change to reflect the new date range.

The Reset button will return the screen to the default settings.

The Purge Reservations button will remove expired reservations from the system. Expired reservations are those that have a "To Date" that is older than the default "From Date". They do not appear on the screen when the Reservation form is opened. They can be displayed by setting the "To Date" back to an earlier date. A message will appear on the screen to confirm the purge operation. It will also show the number of reservations that will be removed. Respond "Yes" to the message to remove the records.

Reservation Admin

The second tab is the Reservation Admin process, as shown. The Reservation Admin process is used to add new reservations and edit or delete existing reservations.




The screenshot shows the 'Reservation Admin' window with the following elements:

- Buttons: Add (green plus), Edit (pencil), Delete (red X).
- Radio buttons: Location (selected), Employee.
- Employee Barcode: E004. Name: Forrest, Gary. Phone: Alt Phone: (empty).
- Asset Barcode: A004. Des: Barrister Book Shelf. Model Number: Serial Number: (empty).
- From: 10/7/2010. To: 10/20/2010.
- Note: (empty text box).
- Priority: High (selected), Medium, Low.

To add a new reservation:

- Select the Reservation Admin tab.
- Select the Add button, the screen changes as indicated below.
- Select the Location or Employee option.
- Scan the Location/Employee barcode or select the Find button.
- Scan the Asset barcode or select the asset Find button.
- Set the date range for the reservation.
- If you desire, add a note and set the priority.



The screenshot shows the 'Reservation Admin' window with the following elements:

- Buttons: Save (floppy disk), Cancel (red X).
- Radio buttons: Location, Employee (selected).
- Employee Barcode: (highlighted in yellow). Name: Phone: Alt Phone: (empty).
- Asset Barcode: (empty). Des: Model Number: Serial Number: (empty).
- From: 10/26/2010. To: 10/26/2010.
- Note: (empty text box).
- Priority: High, Medium (selected), Low.

Select the Save button to save the reservation. The screen will return to the initial display with the new reservation information.

To cancel without saving, select the Cancel button. The screen will return to the initial display.

To edit an existing reservation:

- Find the reservation in the Find Reservation process.
- Select the Reservation of interest.
- Select the Reservation Admin tab.
- Select the Edit button.
- Modify the information as desired.

Select the Save button to save the reservation. The screen will return to the initial display with the changed reservation information.

To cancel without saving, select the Cancel button. The screen will return to the initial display.

To delete an existing reservation:

- Find the reservation in the Find Reservation process.
- Select the Reservation Admin tab.
- Select the Delete button.

After verifying the deletion, the system will delete the reservation.

To leave the process, select the in the upper right corner of the screen.

Download Handheld

The system provides for a handheld scanner download process. The user must first configure the PC for the handheld in use (See Handheld Configuration). The Handheld Configuration screen can be displayed by choosing the Select Handheld button. The selected handheld device is shown in the blue banner of the Download screen.

Check in/out records can be mixed with audit records and count records on the handheld unit. When the unit is downloaded, the records will be shown with the appropriate type displayed. The records displayed can be limited to a specific type by clicking the appropriate Display Type button.

ATS User Manual

When a handheld unit is ready for download, select the Download button from the main screen. The form below is displayed.

Chk	Type	Current Emp / Location	Asset	Scan Date	Last Known Emp / Location / Qty	Qty
<input checked="" type="checkbox"/>	Audit	Office 101 (ACME Administration)	A005 - Gray Drafting Chair	9/14/2010 11:13:53 AM	Office 101 (ACME Administration)	
<input type="checkbox"/>	Count		a018 - Generic USB Mouse	9/14/2010 11:14:46 AM	23	20
<input checked="" type="checkbox"/>	Out	Doe, Mary	a011 - Dell 19-inch Flat Panel LCD	9/14/2010 11:15:48 AM	Shelf 100 (ACME Central Warehouse)	
<input type="checkbox"/>	In	Aisle 2 (ACME Central Warehouse)	a002 - Black Leather Mid-Back Chair	9/14/2010 11:17:33 AM	Doe, Mary	

Batch handhelds must be loaded with a reference file before they can be used. Dock the handheld to the host PC and select the Sync Data button. **Handhelds should be synced with the PC before each use to ensure that they have the latest data.**

If there are download records stored in the temporary database table, the grid will display the existing downloaded records. New handheld records can be added as long as the existing download has not started the commitment process. If commit has been started or the handheld audit is separate from the existing audit, then the existing records must be completed and cleared from the database prior to uploading the new handheld records.

To download handheld data:

- Place the handheld in the downloader.
- Select the Sync Data button.
- Follow the on-screen instructions.

If the download is successful, the grid will be rebuilt with the new records. If the records were downloaded successfully but there were some problems, the system will provide a message and the problems will be documented in a log file. This file can be viewed and printed by selecting the View Log File button. Note that the log file will be deleted whenever a new Sync Data function is performed.

There could be some erroneous data in the grid. Therefore the system will only commit those records that have the Chk column checked. During download the system will check those records where the audited location matches the expected location, however the user may change the value if desired. This allows the user to control what records will be loaded into the database. If the audited location does not match the expected location, the text will be displayed in red.

The Save Changes button will save the changes in the Chk column to the temporary audit table in the database. This does not change any asset data.

If a checkout record is recorded on the handheld for an item that has a high priority reservation for a different employee than the one entered on the handheld, the text will be displayed in blue. The Chk column can be manually checked to allow the checkout of the item to the scanned employee, but this is not recommended. Always check with the employee who originally reserved the item on the Reservation screen before allowing the item to be checked out.

The Commit button will save the information in the downloaded records that have been checked to the permanent portion of the database. The background color of the checkbox will turn yellow after those records have been committed. The Commit function may be performed several times. Records that were previously committed will be skipped. Once a Commit function has started, no further downloads will be accepted from a handheld until the downloaded records are cleared.

IMPORTANT! -- The Commit function changes asset data. A message will appear to alert the user to sync all handhelds with the PC to update the reference file on the handheld.

The Clear button will remove all records from the temporary download table in the database, making way for new download information. The system displays a warning message prior to clearing the records.

The Report button will print a report of the records displayed on the grid.

Change Password

A user currently logged into ATS may change their password at any time. Select Change Password from the File menu and the screen shown appears.



The screenshot shows a window titled "Change Password" with a blue header bar. Below the header, the text "Change Password" is displayed in a blue bar. The main area contains the instruction "Enter current User Name and Password. Then follow the on-screen instructions." Below this, there are two input fields: "User Name:" and "Password:". A "Change Password" button is located at the bottom center of the dialog.

Type in your current user name and password and then select the Change password button.

The screen changes as indicated.



The screenshot shows the same "Change Password" dialog box. The instruction "Enter current User Name and Password. Then follow the on-screen instructions." is still present. The "User Name:" and "Password:" fields are now empty. A new input field labeled "Enter New Password:" is visible. The "Change Password" button remains at the bottom center.

Passwords must be at least 5 characters but no greater that 10 characters long.

Type in your new password and then select the Change Password button.

The screen will change as indicated.



The screenshot shows the "Change Password" dialog box. The instruction "Enter current User Name and Password. Then follow the on-screen instructions." is still present. The "Enter New Password:" field is now empty, and a new input field labeled "Verify New Password:" is visible. The "Change Password" button remains at the bottom center.

Type in your new password again. If the password matches the new password you typed earlier, the system will save the new password and the Change Password screen will disappear.

If the password does not match the password typed in earlier, the system will state the passwords do not match and ask if you wish to try again,

If you answer yes, the screen will be returned to the state above and you may try to type the second password again.

At any time during the process, the user may select the in the upper right corner of the form to cancel the process.

Backup / Compact Database

If you have the Access version of ATS, Compact Database is used to periodically repair, compact, and backup the ATS database.

It is possible that the Access database can get corrupted. Compacting the database may repair the damage. In addition, a previous compact operation will have created a backup of the database that can be used if the current database is corrupted beyond repair.


The system will retain three backup copies of the database in the dbbackup folder. Backing up frequently will minimize the loss of data if the current database is corrupted beyond repair.

MS Access does not automatically remove data that is deleted by the system. Compacting the database will remove data that has been deleted. This will reduce the size of the database file and improve performance.

Access to the Backup/Compact screen is only available when the ADMIN login is used. After logging in, select Backup/Compact Database on the File menu. Then select the Compact Database button.

The system will backup, compact, and repair the database. When complete, the Compact Database screen will disappear.

To leave the process, select the in the upper right corner of the screen.




Handheld Configuration

The Handheld Configuration screen is used to select the batch handheld scanner being used. This version of ATS currently supports Pocket PC scanners.


To view the Handheld Configuration screen, click the File menu item and select Handheld Configuration.

Pocket PC devices require Microsoft ActiveSync (Windows XP) or Windows Mobile Device Center (Windows Vista or Windows 7) to communicate with ATS.



Label Designer

The Label Designer process is used to design labels for the various processes in the system that prints barcode labels.



The processes that will print labels are:

- Asset
- Employee
- Location

These processes can be selected in the Design Type section of the form, which is located in the upper left corner.

To design a label, first select the design type.

The Data Source List will contain the possible fields that may be included in the label. The list on the example contains the possible data sources for an asset label.

The Current Label Design list will contain any labels that have already been created for the design type. The list currently contains a sample asset label. When one of these labels is selected, the box on the right will display the label design, as indicated above for the sample asset label.

To create a new label, select the Design type and then select New Design button. Set the label size (Width and Height in inches). Set the label orientation (Portrait or Landscape). For Portrait, the height is vertical on the screen. For Landscape the Height is Horizontal on the screen.

There are 6 different elements that may be placed on the label. They are from left to right: text, barcode, horizontal line, vertical line, box, and a graphic.

Label Quick Start

To put the asset barcode on your label as a barcode:

- 1) In "Element Options" select the barcode button.
- 2) In the "Data Source" list box, select "Asset Barcode".
- 3) Click the "Add to Label" button to put it in your label design.
- 4) Drag the element to the desired position.

To put the asset barcode on your label as a text field:

- 1) In "Element Options" select the "T" button.
 - 2) In the "Data Source" list box, select "Asset Barcode".
 - 3) Set the desired Font options.
 - 4) Click the "Add to Label" button to put it in your label design.
 - 5) Drag the element to the desired position.
-

Adding a Text Element

Select the Text (T) button in the Element Options panel. Select (Label Caption only) in the Data Source box, and type a label caption in the Label Caption textbox. You can select Wrap Text or Center. To set the font style and size, click the Font button. Click the Add to Label button. The text element will appear in the upper left corner of the label design. Drag it to the desired position on the label.

To edit the text caption or font after a text element has been placed in a label design, right click on the element and choose the option desired.

Adding a Database Field Text Element

In the Data Source box, select the desired database field. You can select Wrap Text or Center. To set the font style and size, click the Font button. Click the Add to Label button. A sample of the data will appear in the upper left corner of the label design. Drag it to the desired position on the label. When the label is printed, the actual data for that field will be printed on the label.

To edit the text caption or font after a database field text element has been placed in a label design, right click on the element and choose the option desired.

Adding a Barcode Element

Select the Barcode button in the Element Options panel. Select (Label Caption only) in the Data Source box, and type a label caption in the Label Caption textbox. You can select Center. Select the barcode font and size desired. Click the Add to Label button. The text will be added to the label in the barcode font. Drag it to the desired position on the label.

If a database field is needed as a barcode, select the field from the Data Source box, and add it to the label. When the label is printed, the actual data for that field will be printed on the label as a barcode.

Adding a Horizontal Line Element

Select the Horizontal Line button in the Element Options panel. Click the Add to Label button. A horizontal line segment will be added to the label design in the upper left-hand corner. Drag it to the desired position on the label. To change the size of the line, place the mouse cursor over the right end of the line. When the cursor changes to a double arrow, click and drag the endpoint to the desired length.

Adding a Vertical Line Element

Select the Vertical Line button in the Element Options panel. Click the Add to Label button. A vertical line segment will be added to the label design in the upper left-hand corner of the label. Drag it to the desired position on the label. To change the size of the line, place the mouse cursor over the bottom of the line. When the cursor changes to a double arrow, click and drag the endpoint to the desired length.

Adding a Box Element

Select the Box button in the Element Options panel. Click the Add to Label button. A box will be added to the label design in the upper left-hand corner. Drag it to the desired position on the label. To change the size of the box, place the mouse cursor over the lower right-hand corner of the box. When the cursor changes to a double arrow, click and drag the endpoint to the desired size.

Adding a Graphic Element

Select the Graphic button in the Element Options panel. Click the Find Graphic File button to find a file on your computer to place on the label. File types supported are bmp, gif, jpg, wmf, and ico. Click the Add to Label button. The graphic will be added to the label design in the upper left-hand corner. Drag it to the desired position on the label.

Graphic elements are resizable. **Save the label design before attempting to resize a graphic element.** Right click on the graphic in the label and select Resize Graphic. A Resize Graphic box will appear above the Label Size box. Enter the desired Height and Width (in inches) and click the OK button. It may be possible to enter a size that causes the graphic to disappear from the label design. If this happens, select a different label design. When prompted to save changes, respond NO to the prompt. Then go back to the label design and try again.

Deleting a Label Element

Select the element to be deleted from the label design. Click the Delete Element button, or press the Delete key on the keyboard. Elements can also be deleted by right-clicking on the element and selecting Delete from the popup menu.

Deleting a Label Design

To delete an entire label design, select the design from the Current Label Designs list. Click the Delete Design button at the bottom of the screen.

Save an Existing Design as a New Design

Time may be saved by copying an existing label design and modifying it. Select the design from the Current Label Designs list, and click the Save Design As button at the bottom of the screen. Enter a new design name and click the OK button. Design names must be unique.

Viewing/Printing a Label

The work space on the right-hand side of the screen provides a feel for how your label will print. If you need to view exactly how your label will print, click on the View button with the Mode setting set to Design. An exact replica of the label will appear. To print the label on your label printer, change the Mode setting to Print, enter the number of labels you want to print and click the Print button.


To save a label design as default for a specified process, select the Design Type (process), and select the label design from the Current Label Designs list. Then select the Save as Default button.

When a label is set as the default label, the word "Default" will appear after the label design.

To leave the process, select the in the upper right corner of the form.


Label Setup

The Label Setup screen allows the printing of barcode labels in sequence. This feature is only available for the Asset Design Type. This allows printing of asset barcode labels that can then be attached to assets, and entered on the Asset Information screen.



Any Asset Label design can be chosen, it does not have to be the “Default” design. The label design must contain the barcode design element or it will not print. Note that if the label design contains an asset description, the description will be blank. They have not yet been assigned to an asset.

On the Label Setup screen, select the Asset Design Type, then select the Print Label Sequence button. The screen below will be displayed.



A three (3) character prefix can be entered if desired. The Start Number will initially start at 00000001 but can be changed to any number desired (up to 8 characters). Enter the number of labels to print in the How Many box and select the Start button.

The system will check the barcodes already assigned to assets in the database to be sure that the barcode to be printed is unique. If it is unique, the label will print. If it is not unique, the number will be skipped, and the next number in the sequence will be checked. If the number of characters in the Start Number is incremented beyond 8 characters, a message will be displayed and printing will stop.

After printing starts, a Cancel button will appear. Selecting the cancel button will stop the printing process. Pressing the Esc key on the keyboard will also stop printing.

The prefix and the last barcode number printed will be saved in the database. These values will then appear the next time the Print Label Sequence function is used. The Start Number will automatically be increased to the next value.

To exit the Print Label Sequence function, select the Close button.

Log In Temporarily

Log in temporarily is a function that is used for a supervisor to log in to perform some function that the current user may not perform, without the current user having to exit the program.

Select Log In Temporarily under the File menu. The screen at right will appear. Enter your user name and password and then select the Log In button.

The banner on the main screen will turn red and the log out button will appear. As long as someone is temporarily logged into the system these conditions will remain.




When the user temporarily logged in logs out, by selecting the Log Out button, the main screen will return to normal.

Print Screen

Print screen is used to print the current screen that is displayed in the ATS system to the default printer set for the computer. It will not print the main screen. To print the current screen, select Print Screen under the File menu.

Reports

Selecting the Reports button on the main screen displays the screen below.



The reports available from this screen are:

- Asset Assignment by Asset
- Asset Assignment by Class and Type
- Asset Assignment by Employee
- Asset Assignment by Employee (Split Pages)
- Asset Assignment by Location
- Asset Assignment by Storage Location
- Asset Depreciation by Class and Type
- Asset Depreciation by Facility
- Asset History by Employee
- Asset History by Location
- Asset Maintenance Due
- Asset Maintenance In-Progress
- Asset Maintenance Past Due
- Asset Summary by Employee
- Asset Summary by Location
- Asset Value by Class and Type
- Asset Value by Facility

- Asset Value by Funding Source
- Assets Coming Due in 7 Days
- Assets Overdue
- Consumable History by Employee
- Consumables in Stock
- Expired Warranty

If custom reports are ordered, they will also be listed on this screen.

Select the report of interest and the report filters will appear on the right portion of the screen.


Some reports have an Ignore Due Date greater than a specified date. This is useful if some assets are checked out to a location or employee over a long period of time, and you do not want these assets to appear on monthly reports.

After the desired report filters are selected, select the Print Report button. A print preview screen will be displayed from which the report may be printed.

School Edition Info

The latest addition to ATS is the School Edition. The biggest difference is the ability to manage up to three types of “Members” of your own definition. This may include Faculty, Staff, Teachers, Students, etc.

You can setup the different types in the Setup Options menu option. It also includes the ability to set up to four user define fields associated with the Members.



The screenshot shows the 'Setup Options' dialog box with the 'Member Setup' tab selected. The 'Edition' section at the top has radio buttons for 'Basic', 'Pro', and 'School', with 'School' selected. An 'OK' button with a green checkmark is in the top right. The 'Member Setup' section includes a 'Show Members' checkbox (checked) and a 'Rename Member' text box containing 'Member'. Below this are two sections: 'Category Names' and 'Additional Information Fields'. The 'Category Names' section has three text boxes: 'Rename Category 1: Student', 'Rename Category 2: Faculty', and 'Rename Category 3: Staff'. The 'Additional Information Fields' section has four text boxes: 'Rename Info Field 1: Major', 'Rename Info Field 2: Info Field 2', 'Rename Info Field 3: Info Field 3', and 'Rename Info Field 4: Info Field 4'.

ATS User Manual


In addition, a new Member screen allows you to find members using multiple methods similar to the asset find screen, and view individual details on each! You can also import new member records into ATS or export existing member records!

Barcode	Member ID	Last Name	Names	Address	E-mail	Ca
M001	M001-1	Anderson	Bonnie	123 Main St. Kenosha, WI 53142		St
M002		Wilson	Cathy			St
S001	M101	Robertson	Fred	456 Main St. Chicago, IL		Fa
S002	M102	Williams	Gary		gwilliams@yoofoo.com	(Ur
S003	M103	Johnson	Carol		cjohnson@yoofoo.com	St
S004	M104	Clark	Adam N			St
S005	M105	Richards	Dan A	456 Elm St. Springfield, IL		St
S006	M106	Grant	David		dgrant@yoofoo.com	St

You are then able to check out or check in assets to any assigned Member as well as run special reports! Your options!

Import Member File

Select the Import Member File button. The import screen will appear as shown.



The file format is a TAB delimited TXT file. The layout is based on column position, not column headers.

Column position in the file is:

- 1) Barcode * 20 characters max.
- 2) Member ID 20 characters max.
- 3) Last Name * 30 characters max.
- 4) Names * 80 characters max.
- 5) Address 255 characters max.
- 6) E-mail 80 characters max.
- 7) Info Field 1 50 characters max.
- 8) Info Field 2 50 characters max.
- 9) Info Field 3 50 characters max.
- 10) Info Field 4 50 characters max.
- 11) Notes 255 characters max.

The fields marked with an asterisk (*) are required.

If a Barcode duplicates an Asset or Location barcode, the record will be rejected.

Select the Member Category for the imported records. All records in the file will be assigned to this category.

If desired, select the Inactivate ALL Members for the selected Member Category button. This changes the status for those members to inactive. If the inactive member is included in the import file (i.e., the same barcode is found), the status will automatically be reset to active, and the existing information will be updated with the information in the import file.

Use the Find File button to locate the file you wish to import. Then select the Import File button.

To leave the process, select the in the upper right corner of the screen

Helpful Hint: You may want to import a small sample file with a few records to determine if your file format is correct. If the imported records appear correct, you can go ahead and import a larger file. If the records do not appear to be correct, it will be easier to delete a few records rather than a few hundred records.

If there were problems importing some records, the system will provide a message and the problems will be documented in a log file. This file can be viewed and printed by selecting the View Log File button. Note that the log file will be deleted whenever a new file is imported.

Support

GigaTrak provides 90-days of telephone support for ATS from the date of purchase. GigaTrak will advise on installation issues but the customer is responsible for network and SQL Server installation. Our hours are 8am to 5pm central time Monday through Friday. During this time you are entitled to any updates or new releases issued by GigaTrak. By purchasing an extended support one, two or three year agreement, these services are extended. Onsite support is available at additional cost. Please call 262-657-5500 with any questions.

Software License Agreement

GigaTrak, an Illinois corporation ("GigaTrak"), grants to you ("Licensee") a non-exclusive, non-transferable (except as otherwise specifically provided herein), perpetual license to use the Software (as herein defined) solely for Licensee's internal use, limited to only one PC owned by Licensee (unless otherwise agreed upon in writing by GigaTrak). The Software consists of GigaTrak's proprietary standard software modules and tools, known as Asset Tracking System (ATS), and includes all tangible and intangible portions thereof, including without limitation machine readable object code, user manual and other documentation, the look and feel of the software operation, and ideas and concepts contained therein (herein collectively referred to as the "Software").

Neither this License Agreement nor any of the rights or obligations contained herein shall be assigned, subleased or otherwise transferred, whether voluntarily, involuntarily, in bankruptcy, by operation of law or otherwise, by Licensee without the written consent of GigaTrak, which consent shall not unreasonably be withheld, except to an entity controlled by, controlling or under common control with Licensee or to any purchaser of or successor to all or substantially all of Licensee's business; and any attempted assignment, sublicense or transfer to the contrary shall be null and void and of no effect. All portions of the Software constitute confidential proprietary information and trade secrets belonging to or licensed to GigaTrak. Licensee shall treat all portions of the Software as confidential and shall not in any manner disclose or make available all or any portion of the Software to any third party. Licensee shall not copy any portion of the Software, whether on computer media, hard copy, or otherwise, except as may actually be necessary for back-up or archival purposes for Licensee's use of the Software. Licensee shall not remove any copyright notices included in the Software and shall reproduce the notices on any copy Licensee may make of any portion of the Software and on the Software transfer and storage media. Licensee will not, and will not permit others to, decompile, disassemble or reverse engineer any portion of the Software. Licensee may be liable to GigaTrak for up to ten times the current license fee (or as limited by state or local laws) of the Software for each occurrence of unlicensed usage that violates this License Agreement. This does not preclude potential liability for copyright infringement and other legal claims.

Limitations on Warranty and Liability

GigaTrak warrants to Licensee that for a period of ninety (90) days from and after shipment of the Software to Licensee, or such longer term as stated on the Cover Page hereof and paid for by Licensee (the "Warranty Period"), all media on which delivered copies of the Software is recorded will be free from defects in materials and workmanship. GigaTrak's sole and exclusive obligation under this warranty, and Licensee's sole and exclusive remedy therefore, shall be, at GigaTrak's option and free of charge to Licensee, to repair or replace any item of computer media returned to it by Licensee within the Warranty Period that GigaTrak reasonably determines to be defective in breach of the foregoing warranty. This warranty does not cover misuse, abuse, neglect, damage incurred during shipping or storage, or any modifications by anyone other than an authorized representative of GigaTrak.

Except as expressly provided herein, GIGATRAK MAKES NO EXPRESS OR IMPLIED REPRESENTATIONS OR WARRANTIES OF ANY KIND OR NATURE WHATSOEVER WITH RESPECT TO THE SOFTWARE, THE USE OF THE SOFTWARE OR ANY MATTER RELATING THERETO, AND ALL OTHER WARRANTIES, INCLUDING SPECIFICALLY BUT WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED. Licensee acknowledges that the Software may not satisfy all of Licensee's requirements and its operation may not be uninterrupted or error free, and that GigaTrak disclaims any warranties with respect thereto. Licensee further acknowledges having investigated the Software to its satisfaction and has determined to its own satisfaction that the Software as described in the associated documentation is suitable for its purposes, and that the correctness and usability of the output of the Software is Licensee's sole responsibility.

GigaTrak's sole and exclusive aggregate monetary liability to Licensee for any matter arising out of this License Agreement, the Software, or the use of the Software in any manner, whether in contract, tort (including negligence) or otherwise, and regardless of the nature of the claim or form of action relating

thereto, shall be in no event more than the license fee paid by Licensee hereunder. Notwithstanding the foregoing, GigaTrak shall not be liable to Licensee for damages for injury, including death, to any person or for any claims of any kind by a third party.

IN NO EVENT SHALL GIGATRAK BE LIABLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY KIND, WHETHER FORESEEN OR FORESEEABLE (INCLUDING WITHOUT LIMITATION FOR ANY LOSS OF BUSINESS OR PROFITS), EVEN IF GIGATRAK WAS AWARE OF THE POSSIBILITY OF SUCH DAMAGES, AND REGARDLESS OF WHETHER SUCH CLAIM IS BASED UPON THEORIES OF CONTRACT OR TORT (INCLUDING STRICT LIABILITY).

The Software and included documentation is subject to change. GigaTrak reserves the right to update, modify and enhance the Software and documentation without notice.

Installation of the enclosed Software constitutes agreement with these terms and conditions.

© Copyright 2010 by GigaTrak.

Appendix A Honeywell 6100 Handheld Information

Touchscreen Calibration

If the touchscreen is not responding properly to stylus touch taps, the touchscreen may need to be recalibrated.

- 1) Tap the Start button in the lower left corner of the system tray.
- 2) Select “Settings”, then “Control Panel”.
- 3) Scroll the window if necessary and double tap the “Stylus” icon.
- 4) Select the “Calibration” tab.
- 5) Tap the “Recalibrate” button and follow the instructions on the screen.

Set Date/Time/Time Zone

- 1) Tap the Start button in the lower left corner of the system tray.
- 2) Select “Settings”, then “Control Panel”.
- 3) Scroll the window if necessary and double tap the Date/Time icon.
- 4) Set the current date, time, and time zone.
- 5) Tap the Apply button and close the screen.

Set Time Separator

- 1) In Control Panel, select Regional Settings.
- 2) Tap the Customize button.
- 3) Select the “Time” tab.
- 4) If the “Time Separator” is not the colon “:” character, select the Time Separator box.
- 5) Select the “:” character from the drop-down list (or type it in using the on-screen keyboard).
- 6) Tap the “OK” button at the top of the screen.

Set Short Date Format

- 1) In Control Panel, select Regional Settings.
- 2) Tap the Customize button.
- 3) Select the “Date” tab.
- 4) Set the Short Date Style to “MM/dd/yyyy”.
- 5) If the “Date Separator” is not the “/” character, select the Date Separator box.
- 6) Select the “/” character from the drop-down list (or type it in using the on-screen keyboard).
- 7) Tap the “OK” button at the top of the screen.

Turn on ScanWedge

If the laser does not turn on when the **Scan** button is pressed, turn on ScanWedge:

- 1) Tap the Start button in the lower left corner of the system tray.
- 2) Tap “Programs”, then “Power Tools”
- 3) Tap the “ScanWedge” icon. A barcode icon will appear in the System Tray after ScanWedge is turned on.



Append Carriage Return to Barcode scan

If the screen cursor does not advance to the next data field in your application after scanning a barcode, you need to append a carriage return to the barcode scan.

- 1) On the desktop, open "My Device".
- 2) Open the "Honeywell" folder.
- 3) Scroll the window to find the EXM icon that is labeled "scanwedge". Double tap the icon.
- 4) In the split window, select "Settings" in the upper window.
- 5) Scroll the lower window and select "SuffixKeys".
- 6) Select "Edit" on the menu bar, then select "Modify".
- 7) In the "Value" box, enter 13 and close the screen.
- 8) When the screen returns to the split window, be sure the SuffixKeys checkbox is checked.
- 9) Close the screen and respond "Yes" to the Save Changes message.

Microsoft Active Sync Installation (For Windows XP)

- 1) Locate a copy of the latest version of Active Sync for your computer system. The correct version is available from Microsoft's WEB site or a copy is included on your CD. Version 4.5 is the latest from Microsoft as of this printing.
- 2) Look for the installation file (i.e. activesync_setup.msi) and run it. We recommend that you follow the installation instructions and accept the standard default settings during your install.
- 3) Leave Active Sync running to install and connect your handheld computer.

NOTE: Some users may use a single PC to connect multiple handheld computers. If this is the case, it is best to setup your PC to recognize each handheld as a "Guest". This avoids having Active Sync loading shared data from your Outlook and other PC applications. To set all connected handhelds as a Guest, please double-click and run the provided "GuestOnly.reg" file. It will instantly update your system for future connections.

Windows Mobile Device Center Installation (For Windows Vista or Windows 7)

- 1) Locate a copy of the latest version of Windows Mobile Device Center for your computer system. The correct version is available from Microsoft's WEB site or a copy is included on your CD.
- 2) Look for the installation file (i.e. drvupdate-x86.exe) and run it. We recommend that you follow the installation instructions and accept the standard default settings during your install.

Install GigaTrak Handheld Application

The handheld application can be found in the PocketPC folder of your installation CD.

- 1) Connect the handheld docking station to your computer (typically a USB connection) and plug in the AC power cable.
- 2) Put the handheld in the dock and wait for it to sync with the PC.
- 3) On the PC, double-click the handheld setup file for the application you are installing (e.g., setup_honeywell_hh.exe).

Add a Shortcut to your Handheld Desktop

- 1) Exit the application if it is running.
- 2) Double tap the 'My Device' icon on the desktop.
- 3) Double tap the 'Honeywell' icon.
- 4) Scroll down to the GigaTrak application icon (e.g., WIN-ATS).
- 5) Hold your stylus down on the icon until a pop-up menu appears.
- 6) Select 'Copy' on the menu.
- 7) Close the window to go back to the desktop.
- 8) Hold down the stylus on the desktop until a pop-up menu appears.
- 9) Select 'Paste Shortcut' from the menu.

If the handheld does not respond properly, it may need a reboot. Perform a warm boot first and see if that fixes the problem. If it does not, then perform a cold boot.


Warm Boot the Handheld

Press the **Reset** key. The screen will turn white, and the decode/scan LED flashes blue for approximately three seconds.

Cold Boot the Handheld

Hold down the **Reset** key and then press and release the **Power** key. The screen will turn white, and the decode/scan LED flashes red for approximately three seconds.

Set the date and time after each cold boot to ensure that the system clock is accurate.



Appendix B LXE Handheld Information

Touchscreen Calibration

If the touchscreen is not responding properly to stylus touch taps, the touchscreen may need to be recalibrated.

- 1) Tap the Start button in the lower left corner of the system tray.
- 2) Select Settings, then Control Panel.
- 3) Scroll the window if necessary and double tap the Stylus icon.
- 4) Select the "Calibration" tab.
- 5) Tap the "Recalibrate" button and follow the instructions on the screen.

Set Date/Time/Time Zone

- 1) Tap the Start button in the lower left corner of the system tray.
- 2) Select Settings, then Control Panel.
- 3) Scroll the window if necessary and double tap the Date/Time icon.
- 4) Set the current date, time, and time zone.
- 5) Tap the Apply button and close the screen.

Set Time Separator

- 1) In Control Panel, select Regional Settings.
- 2) Tap the Customize button.
- 3) Select the "Time" tab.
- 4) If the "Time Separator" is not the colon ":" character, select the Time Separator box.
- 5) Select the ":" character from the drop-down list (or type it in using the on-screen keyboard).
- 6) Tap the "OK" button at the top of the screen.

Set Short Date Format

- 1) In Control Panel, select Regional Settings.
- 2) Tap the Customize button.
- 3) Select the "Date" tab.
- 4) Set the Short Date Style to "MM/dd/yyyy".
- 5) If the "Date Separator" is not the "/" character, select the Date Separator box.
- 6) Select the "/" character from the drop-down list (or type it in using the on-screen keyboard).
- 7) Tap the "OK" button at the top of the screen.

Append Carriage Return to Barcode scan

- 1) In Control Panel, open Scanner App.
- 2) Go to 'Barcode' tab.
- 3) Click 'Symbology Settings' button.
- 4) In 'Add' box:
 - a) Check 'Suffix' checkbox.
 - b) Use on-screen keyboard to enter ^M (drag the keyboard out of the way with the stylus if needed).
 - c) Click OK button.



Microsoft Active Sync Installation (For Windows XP)

- 1) Locate a copy of the latest version of Active Sync for your computer system. The correct version is available from Microsoft's WEB site or a copy is included on your CD. Version 4.5 is the latest from Microsoft as of this printing.
- 2) Look for the installation file (i.e. activesync_setup.msi) and run it. We recommend that you follow the installation instructions and accept the standard default settings during your install. Leave Active Sync running to install and connect your handheld computer.

NOTE: Some users may use a single PC to connect multiple handheld computers. If this is the case, it is best to setup your PC to recognize each handheld as a "Guest". This avoids having Active Sync loading shared data from your Outlook and other PC applications. To set all connected handhelds as a Guest, please double-click and run the provided "GuestOnly.reg" file. It will instantly update your system for future connections.

Windows Mobile Device Center Installation (For Windows Vista or Windows 7)

- 1) Locate a copy of the latest version of Windows Mobile Device Center for your computer system. The correct version is available from Microsoft's WEB site or a copy is included on your CD.
- 2) Look for the installation file (i.e. drvupdate-x86.exe) and run it. We recommend that you follow the installation instructions and accept the standard default settings during your install.

Install GigaTrak Handheld Application

The handheld application can be found in the PocketPC folder of your installation CD.

- 1) Connect the handheld docking station to your computer (typically a USB connection) and plug in the AC power cable.
- 2) Put the handheld in the dock and wait for it to sync with the PC.
- 3) On the PC, double-click the handheld setup file for the application you are installing (e.g., setup_LXE_hh.exe).

Add a Shortcut to your Handheld Desktop

- 1) Exit the application if it is running.
- 2) Double tap the 'My Device' icon on the desktop.
- 3) Double tap the 'System' icon.
- 4) Scroll down to the GigaTrak application icon (e.g., WIN-ATS).
- 5) Hold your stylus down on the icon until a pop-up menu appears.
- 6) Select 'Copy' on the menu.
- 7) Close the window to go back to the desktop.
- 8) Hold down the stylus on the desktop until a pop-up menu appears.
- 9) Select 'Paste Shortcut' from the menu.

If the handheld does not respond properly, it may need a reboot. Perform a warm boot first and see if that fixes the problem. If it does not, then perform a cold boot.

Warm Boot the Handheld

Hold down the **Power** key and then the **Enter** key until the screen blanks. Release the keys.

Cold Boot the Handheld

Hold down the **Blue** key, the **Scan** key, and the **Power** key until the screen blanks. Release the keys.



Appendix C Memor Handheld Information

Touchscreen Calibration

If the touchscreen is not responding properly to stylus touch taps, the touchscreen may need to be recalibrated.

- 1) Tap the Start button in the lower left corner of the system tray.
- 2) Select Settings, then Control Panel.
- 3) Scroll the window if necessary and double tap the Stylus icon.
- 4) Select the “Calibration” tab.
- 5) Tap the “Recalibrate” button and follow the instructions on the screen.

Set Date/Time/Time Zone

- 1) Tap the Start button in the lower left corner of the system tray.
- 2) Select Settings, then Control Panel.
- 3) Scroll the window if necessary and double tap the Date/Time icon.
- 4) Set the current date, time, and time zone.
- 5) Tap the Apply button and close the screen.

Set Time Separator

- 1) In Control Panel, select Regional Settings.
- 2) Tap the Customize button.
- 3) Select the “Time” tab.
- 4) Set the Time Style to “h:mm:ss tt”.
- 5) If the “Time Separator” is not the colon “:” character, select the Time Separator box.
- 6) Select the “:” character from the drop-down list (or type it in using the on-screen keyboard).
- 7) Tap the “OK” button at the top of the screen.

Set Short Date Format

- 1) In Control Panel, select Regional Settings.
- 2) Tap the Customize button.
- 3) Select the “Date” tab.
- 4) Set the Short Date Style to “MM/dd/yyyy”.
- 5) If the “Date Separator” is not the “/” character, select the Date Separator box.
- 6) Select the “/” character from the drop-down list (or type it in using the on-screen keyboard).
- 7) Tap the “OK” button at the top of the screen.



Append Carriage Return to Barcode scan

- 1) Tap the gray barcode icon in the system tray.
- 2) Tap on Configure.
- 3) Double tap on Reader Parameters.
- 4) Double tap on Decoding, if shown.
- 5) Double tap on Text Formatting.
- 6) Double tap on Postamble.
- 7) Select CR from the dropdown list.
- 8) Tap the + button.
- 9) Tap the OK button.
- 10) Tap the File menu, then Save.
- 11) Tap OK.
- 12) Tap the File menu, then Exit.
- 13) Tap the gray barcode icon in the system tray again.
- 14) Tap on Wedge. The barcode icon in the system tray will turn green.

Microsoft Active Sync Installation (For Windows XP)

- 1) Locate a copy of the latest version of Active Sync for your computer system. The correct version is available from Microsoft's WEB site or a copy is included on your CD. Version 4.5 is the latest from Microsoft as of this printing.
- 2) Look for the installation file (i.e. activesync_setup.msi) and run it. We recommend that you follow the installation instructions and accept the standard default settings during your install.
- 3) Leave Active Sync running to install and connect your handheld computer.

NOTE: Some users may use a single PC to connect multiple handheld computers. If this is the case, it is best to setup your PC to recognize each handheld as a "Guest". This avoids having Active Sync loading shared data from your Outlook and other PC applications. To set all connected handhelds as a Guest, please double-click and run the provided "GuestOnly.reg" file. It will instantly update your system for future connections.

Windows Mobile Device Center Installation (For Windows Vista or Windows 7)

- 1) Locate a copy of the latest version of Windows Mobile Device Center for your computer system. The correct version is available from Microsoft's WEB site or a copy is included on your CD.
- 2) Look for the installation file (i.e. drvupdate-x86.exe) and run it. We recommend that you follow the installation instructions and accept the standard default settings during your install.

Install USB driver

BEFORE connecting the handheld computer to a host USB port for the first time, you must install the USB driver provided with the handheld computer on your PC. This will likely be include on a CD-ROM or downloaded from the WEB. Complete the driver installation as instructed during the installation procedure. (NOTE: Some handheld models may not require a driver to be loaded. Refer to the installation instructions.)

Connect the USB cable to your PC and the handheld or docking station (if provided). Windows will locate the hardware and complete the installation.

Install GigaTrak Handheld Application

The handheld application can be found in the PocketPC folder of your installation CD.

- 1) Connect the handheld docking station to your computer (typically a USB connection) and plug in the AC power cable.
- 2) Put the handheld in the dock and wait for it to sync with the PC.
- 3) On the PC, double-click the handheld setup file for the application you are installing (e.g., setup_memor_hh.exe).

Add a Shortcut to your Handheld Desktop

- 1) Exit the application if it is running.
- 2) Double tap the 'My Device' icon on the desktop.
- 3) Double tap the 'BACKUP' icon.
- 4) Scroll down to the GigaTrak application icon (e.g., WIN-ATS).
- 5) Hold your stylus down on the icon until a pop-up menu appears.
- 6) Select 'Copy' on the menu.
- 7) Close the window to go back to the desktop.
- 8) Hold down the stylus on the desktop until a pop-up menu appears.
- 9) Select 'Paste Shortcut' from the menu.

If the handheld does not respond properly, it may need a reboot. Perform a warm boot first and see if that fixes the problem. If it does not, then perform a cold boot.

Warm Boot the Handheld

Press the **ESC** key and the **Power** key simultaneously.

Cold Boot the Handheld

Press the **ESC** key, the **joystick** and the **Power** key simultaneously.

